

Portland, Oregon - USA's #1 Cycling City

Just down the I-5 corridor from Raleigh America's corporate headquarters in metropolitan Seattle, lies another bastion of bicycling, the epicenter of northwest cycling: **Portland, Oregon.** Consistently ranked as the Best Overall Cycling City in the U.S. by Bicycling Magazine, Portland offers more opportunities to more types of riders than many European cycling destinations.

Resources available to Portland cyclists are both plentiful and comprehensive. The non-profit **Bicycle Transportation Alliance (BTA)** is headquartered in the Rose City, with its dual mission of "opening roads and minds to cycling" and "improving bicycling conditions throughout the state." Bike paths and bike lanes are abundant, and with the bicycle-friendly TriMet light rail and bus systems linked together, getting around downtown as a cyclist has never been easier.

Additional cycling resources include perhaps the most complete metro cycling websites found anywhere, www.bikeportland.org. Founder and editor Jonathan Maus has compiled an astonishing array of links, forums, stories, and other valuable information on his site. According to Maus, Portland is a unique city due to diverse interests working towards a common goal. "I like to think of it as an ecosystem where each part of the community plays a crucial role in keeping the entire system healthy and vibrant."











Raleigh Introduces the New 2007 A.C.E. Evolution Frame

The totally redesigned **2007 Raleigh A.C.E. Evolution** frame features our new, proprietary **Direct Connect Carbon Technology** combined with our race proven geometry. Direct Connect is an assembly process that eliminates the need for lugs, overlapping joints, or expensive fixed molds. By using precisely mitered tubes that are joined directly to each other, our design and engineering team is able to add material only where it is most needed, minimizing voids and creating a very light and exceptionally strong frame.



Direct Connect Carbon Technology is in part a technological evolution and in part a return to traditional hand craftsmanship:



Step 1 - Each tube starts with individual sheets of carbon fiber fabric, laid-up by a highly trained technician to a very specific plan, or schedule, around a shaping tool (sorry, we can't tell you more because it's classified - sshh!).

Step 2 - Technology takes over, as the material is compressed and heated through a proprietary process to precise levels of pressure and temperature.

Step 3 - After a carefully controlled cooling process, the tubes are painstakingly miter-cut to specific lengths for assembly into a frame.

Step 4 - The craftsman returns to the process, as tubes are bonded together while being held in place in a frame jig, ensuring exact alignment. The joints are then over-wrapped and reinforced with a series of narrow strips of high-tensile strength carbon fiber fabric.

Step 5 – Each joint is now compressed using Raleigh's proprietary methodology and tooling. Then the entire frame (still mounted in the frame jig to ensure exact alignment) is heated, causing the resin of the wrapping strips to bond with the resin of the tubes, creating a very strong joint.

Combine these factors and the result is a lightweight and highly efficient frame, with Raleigh's race proven geometry and a ride quality that you have to experience to understand. The **2007 A.C.E. Evolution** is the best frame we have ever made – period. Test ride one today, and **Enjoy the Ride!**



Size	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large	62cm XLarge
Seat Tube Length**	500mm	530mm	550mm	570mm	590mm	620mm
Standover Height	747mm	770mm	787mm	806mm	823mm	845mm
Top Tube Length*	525mm	540mm	550mm	570mm	580mm	600mm
Head Tube Length	115mm	135mm	150mm	170mm	185mm	200mm
Head Angle	73°	73°	73.5°	73.5°	73.5°	74°
Seat Angle	74°	73.5°	73°	73°	73°	72.5°
Wheel Base	967mm	973mm	974mm	994mm	1002mm	1017mm
Chain Stay Length	408mm	408mm	408mm	408mm	408mm	408mm
Fork Offset	45mm	45mm	45mm	45mm	45mm	45mm
BB drop	68mm	68mm	68mm	68mm	68mm	68mm
Stem Length	90mm	100mm	100mm	110mm	120mm	120mm
Seat Post Length	270mm	270mm	270mm	270mm	270mm	270mm

PRESTIGE



SPECIFICATIONS:

Sizes: 50, 53, 55, 57, 59, 62cm

Frame: ACE Evolution, Direct Connect Carbon Frame Fork: Easton EC90 SL Carbon w/Carbon Steer Tube

Shifter: Shimano Ultegra 10spd Front Derailleur: Shimano Ultegra Rear Derailleur: Shimano DuraAce

Cranks: Truvativ Rouleur GXP 39/53t

Bottom Bracket: Truvativ GXP External Bearing

Gear: Shimano 105 10spd (12-27t)

Chain: Shimano 105

Hub (F): Fulcrum Racing 7
Hub (R): Fulcrum Racing 7
Spokes: Fulcrum Racing 7
Rims: Fulcrum Racing 7

Rims: Fulcrum Rac Pedals: Test Ride

Headset: FSA Integrated 1-1/8 Handlebar: Easton EA70 Road 31.8 Grips: Raleigh Gel Tape Stem: Easton EA90 Forged 31.8 Brakes: Shimano Ultegra

Brake Levers: Shimano Ultegra
Tires: Vittoria Rubino Pro Folding 700x23c

Seat: Selle Italia SLR Gel Flow Seatpost: Easton EC70 Carbon 31.6mm

Mount Hood Classic Stage Race: Gaining Momentum

Oregon's **Mount Hood Cycling Classic** stage race is fast becoming one of the premier events on USA Cycling's National Racing Calendar. In its fourth year, the 2006 edition of the MHCC was comprised of six diverse stages over the course of six days in early June. The Men's Pro Category 1-2 race featured 300 miles of racing and over 25,000 feet of climbing.



photo: Christopher Leck Northwest Event Photography www.nweventphotography.com

The MHCC is made all the more interesting due to the stunning beauty and the diverse topography of its course. The varied terrain highlights many of the natural elements that make Oregon a cyclist's paradise, including the lush green of the Hood River valley, the Columbia Gorge National Scenic Highway, and Mount Hood itself.

In 2006 the race attracted national powerhouse teams such as the Health Net and Navigators squads, with Nathan O'Neill of Health Net taking top honors. The increased attendance by top teams provides evidence that the MHCC has become a race with true national implications. On a positive note for local riders, Recycled Cycles/Raleigh rider lan McIssick turned in the performance of his young career, posting a 4th place overall finish.

For more information please visit: www.mthoodcyclingclassic.com

COMPETITION

SPECIFICATIONS:

Sizes: 50, 53, 55, 57, 59, 62cm

Frame: ACE Evolution, Direct Connect Carbon Frame

Fork: Easton EC70 Carbon w/Alloy Steer Tube Shifter: Shimano 105 10spd

Shifter: Shimano 105 10spd Front Derailleur: Shimano 105 Rear Derailleur: Shimano Ultegra

Cranks: Truvativ Elita 2.1 GXP Compact 34/50t Bottom Bracket: Truvativ GXP External Bearing

Gear: Shimano 105 (12-27t) Chain: Shimano 105 Hub (F): Mavic Aksium Hub (R): Mavic Aksium Spokes: Mavic Aksium Rims: Mavic Aksium Pedals: Test Ride

Headset: FSA Integrated 1-1/8 Handlebar: 7005 Alloy Road 31.8

Grips: Raleigh Gel Tape Stem: 3D Forged 4-bolt 31.8 Brakes: Tektro Dual Pivot Brake Levers: Shimano 105 Tires: Vittoria Zaffiro 700x23c Seat: Selle San Marco Ponza Lux

Seatpost: Raleigh Carbon Wrap Micro Adjust 31.6mm



SUPERCOURSE

SPECIFICATIONS:

Sizes: 50, 53, 55, 57, 59, 62cm

Frame: ACE Evolution, Direct Connect Carbon Frame Fork: Easton EC70 Carbon w/Alloy Steer Tube

Shifter: Shimano Tiagra 9spd

Front Derailleur: Shimano Tiagra Rear Derailleur: Shimano 105

Cranks: Truvativ Touro 2.1 Compact Power Spline Road 34/50t

Bottom Bracket: Truvativ Power Spline Cartridge

Gear: SRAM PG-950 9spd (12-26t)

Chain: KMC Z9000 Hub (F): Shimano R500 Hub (R): Shimano R500 Spokes: 14g Black Stainless Steel Rims: Shimano R500

Pedals: Test Ride

Headset: FSA Integrated 1-1/8 Handlebar: 7005 Alloy Road 31.8 Grips: Raleigh Gel Tape Stem: 3D Forged 4-bolt 31.8 Brakes: Tektro Dual Pivot Brake Levers: Shimano Tiagra Tires: Vittoria Zaffiro 700x23c

Seat: Selle San Marco Ponza Lux

Seatpost: Raleigh Carbon Wrap Micro Adjust 31.6mm



GRAND PRIX



SPECIFICATIONS:

Sizes: 50, 53, 55, 57, 59, 62cm

Frame: Atomic 13 SL Aluminum, Integrated Headtube, Hydro-Formed Rear Yoke Fork: Easton EA70 Carbon w/Alloy Steer Tube

Shifter: Shimano 105 10spd Front Derailleur: Shimano 105 Rear Derailleur: Shimano Ultegra

Cranks: Truvativ Elita 2.1 GXP Compact 34/50t
Bottom Bracket: Truvativ GXP Exturnal Bearing
Gear: Shimano 105 (12-27t)
Chain: Shimano 105
Hub (F): Shimano R500

Hub (R): Shimano R500

Spokes: 14g Black Stainless Steel Rims: Shimano R500

Pedals: Test Ride

Headset: FSA Integrated 1-1/8 Handlebar: 7005 Alloy Road 31.8 Grips: Raleigh Gel Tape Stem: 3D Forged 4-bolt 31.8 Brakes: Tektro Dual Pivot Brake Levers: Shimano 105 Tires: Vittoria Zaffiro 700x23c

Seat: Selle San Marco Ponza Lux Seatpost: Raleigh Carbon Wrap Micro Adjust 27.2mm

.

GRAND SPORT

SPECIFICATIONS:

Sizes: 47, 50, 53, 56, 59, 62cm

Frame: Atomic 13 Aluminum, Integrated Headtube Fork: Carbon Composite w/Alloy Steerer

Shifter: Shimano Sora 8spd Front Derailleur: Shimano 2200 Rear Derailleur: Shimano 2200 Rear Derailleur: Shimano Tiagra Cranks: Truvativ Touro Road 30/42/52t Bottom Bracket: Sealed Cartridge Gear: SRAM 850 8spd (12-26t)

Chain: KMC HG50

Hub (F): Alloy Joytech, QR 32h Hub (R): Alloy Joytech QR 32h Cassette

Spokes: 14g Stainless Steel Rims: Alex DA-16 Double Wall

Pedals: Road Pedals w/Clips and Straps **Headset:** FSA Cartridge Bearing

Handlebar: Alloy Road Grips: Raleigh Gel Tape Stem: Alloy Adjustable Brakes: Tektro Dual Pivot

Brake Levers: Shimano Sora/Tektro Inline Levers

Tires: Vittoria Zaffiro 700x25c Seat: Avenir Road

Seatpost: Alloy Micro Adjust 27.2mm



SPORT

SPECIFICATIONS:

Sizes: 47, 50, 53, 56, 59, 62cm

Frame: 6061 Aluminum w/Replaceable Hanger

Fork: Chromoly Road Shifter: Shimano Sora 8spd Front Derailleur: Shimano 2200 Rear Derailleur: Shimano 2200

Cranks: Truvativ ISO Flow Road 3.0, 30/42/52t

Bottom Bracket: Sealed Cartridge Gear: SRAM PG-850 8spd (12-26t)

Chain: KMC HG50

Hub (F): Alloy Joytech, QR 32h Hub (R): Alloy Joytech QR 32h Cassette Spokes: 14g Stainless Steel Rims: Alex DA-16 Double Wall

Pedals: Road Pedals w/Clips and Straps

Headset: Ahead 1-1/8 Handlebar: Alloy Road Grips: Raleigh Gel Tape Stem: Alloy Adjustable Brakes: Tektro Dual Pivot

Brake Levers: Shimano Sora/Tektro Inline Levers


Tires: Vittoria Zaffiro 700x25c

Seat: Avenir Road

Seatpost: Alloy Micro Adjust 27.2mm







INTRIGUE 2.0



SPECIFICATIONS:

Sizes: 44, 47, 50, 53, 56cm

Frame: Atomic 13 SL Butted Alloy Women's Geometry

Fork: Easton EC70 Carbon w/Alloy Steer Tube

Shifter: Shimano Tiagra 9spd Front Derailleur: Shimano Tiagra Rear Derailleur: Shimano 105 Cranks: Truvativ Touro Compact 34/50t Bottom Bracket: Sealed Cartridge Gear: Shimano HG50 9spd (12-25t)

Chain: KMC Z-9000 Hub (F): Shimano R500 Hub (R): Shimano R500 Spokes: Shimano R500 Rims: Shimano R500 Pedals: Shimano 505

Headset: FSA Integrated 1-1/8

Handlebar: Raleigh Expression Alloy Road 31.8

Grips: Raleigh Gel Tape Stem: 3D Forged 4-bolt Brakes: Tektro Dual Pivot Brake Levers: Shimano Tiaga Tires: Vittoria Zaffiro 700x25c Seat: Selle San Marco Ischia Women's Seatpost: Raleigh Carbon Wrap



There are very few sports where the enjoyment of the experience depends so much on the fit and functionality of a complicated machine. Not only does the machine, the bicycle, need to be designed well in the first place, but a rider needs to find the bicycle that best suits her individual body and riding style. Designing products and a selling environment that create a thoroughly enjoyable cycling experience for women is the mission of the **Women's Advisory Cycling Council (WACC).**



photo: Earl Harper www.harperstudios.com

We as women do not want to be treated differently; we want to be recognized on an equal basis as cyclists, athletes, and customers. Real progress comes from inclusion of women in the design and marketing process, and Raleigh America established the WACC with that goal in mind.

WOMENS ADVISORY
CYCLING COUNCIL

Our goals, however, are not limited to creating and selling products to women. We are also committed to outreach in the community to create and support more opportunities for women cyclists. To maintain the current growth of women coming into the sport of cycling – and to support women already involved – there is a need to create clubs, events, and training for women, and we are committed to doing our part to maintain those efforts. So come on along – it's going to be a great ride.

INTRIGUE 1.0



SPECIFICATIONS:

Sizes: 44, 47, 50, 53, 56cm

Frame: Atomic 13 SL Butted Alloy Women's Geometry Fork: Easton EC70 Carbon w/Alloy Steer Tube

Shifter: Shimano Sora 8spd Front Derailleur: Shimano 2200 Rear Derailleur: Shimano Sora

Cranks: Truvativ Iso Flow Road 30/42/52t Bottom Bracket: Sealed Cartridge

Gear: Shimano HG50 8spd (12-25t)

Chain: KMC

Hub (F): Joytech Alloy QR Hub (R): Joytech Alloy QR Spokes: 14g Stainless Rims: Alex DC19 Double Wall Pedals: Road Clips and Straps Headset: FSA Integrated 1-1/8

Handlebar: Raleigh Expression Alloy Road 31.8

Grips: Raleigh Gel Tape Stem: 3D Forged 4-bolt Brakes: Tektro Dual Pivot Brake Levers: Shimano Sora Tires: Vittoria Zaffiro 700x25c Seat: Selle San Marco Ischia Women's Seatpost: Alloy Micro Adjust



WOMEN'S SPECIFIC BRAND ICON

RE-expressions is emblematic of women's expression of themselves as cyclists and as unique individuals, enjoying bicycle riding and living life fully.



SPECIFICATIONS:

Sizes: 50, 53, 55, 57, 59cm

Frame: Atomic 13 SL Butted Alloy, Integrated Headtube

Fork: Easton EC90X Full Carbon Cross Shifter: Shimano Tiagra STI, 9spd Front Derailleur: Shimano Tiagra Rear Derailleur: Shimano 105

Cranks: Truvative Elita Cyclocross 39/48t Bottom Bracket: Truvativ External Bearing Gear: SRAM PG-950 9spd (12-26t)

Chain: KMC Z9000

Hub (F): Alloy Sealed Cartridge Hub (R): Alloy Sealed Cassette Spokes: 14g DT Swiss Champion, Blk Rims: Alex AT-400 Double Wall w/Eyelets Pedals: Crank Bros Eggbeater C (not shown) Headset: FSA Integrated Cartridge Bearings

Handlebar: Easton EA30 31.8 Grips: Raleigh Gel Tape Stem: Easton EA30 31.8 Brakes: Tektro Oryx Canti

Brake Levers: Shimano Tiagra STI/Tektro Inline Levers

Tires: WTB Cross Wolf 700x32c

Seat: WTB Rocket V

Seatpost: Easton EA30 27.2mm

Cross Crusade: The Northwest Cyclocross Rivalry

The Pacific Northwest is one of the nation's hotbeds of cyclocross, that exquisite fall obsession that has been known to make grown men (and women) cry, run about in shorts in the freezing cold, and lay face down in the mud. Contested on short courses that are placed mostly on grassy (read: muddy), dirt road, or sandy conditions, cyclocross racers are forced to dismount along the course to navigate hurdle-like barriers and to run up short hills that are too steep to ride. Races take only 30-45 minutes, but as any 'cross racer will tell you, it's the most brutal 30 minutes imaginable.




photo: Jonathan Maus www.bikeportland.org

Nowhere is cyclocross passion more apparent than in the towns of Portland and Seattle, where a rivalry runs deep and shots are fired up and down the I-S corridor throughout the race season. Racers compete in the Seattle Cyclocross Series, while Portland answers with its own Cross Crusade series. National calibre racers who live in the area include Erik Tonkin, Dale and Ann Knapp, and Johnny Sundt, to name but a few so there is no shortage of local talent, and races are fast and furious.

Fueling the rivalry this year will be the fact that the nation's largest and most successful race series, the Crank Brothers US Grand Prix of Cyclocross, will stage its climactic weekend season finale on November 18-19 at venues in both greater Seattle and Portland. There is always a festival atmosphere at these races, with large crowds, clamoring cowbells, marching bands (performing on stilts!), hub deep mud, and lots of good old fashioned, dirty biking fun. These races likely determine the USGP series winner, so excitement levels will be high.

For more information please visit www.crosscrusade.com or www.seattlecyclocross.com



CADENT CARBON



SPECIFICATIONS:

Sizes: 45, 49, 52, 54, 56, 59cm

Frame: Carbon Cadent

Fork: Custom Carbon/Alloy Steer, 50mm Offset

Shifter: Shimano 105 10spd Front Derailleur: Shimano 105 Rear Derailleur: Shimano 105

Cranks: Truvativ Elita 3.1 GXP 30/42/52t Bottom Bracket: Truvativ GXP

Gear: Shimano 105 10spd (12-27t) Chain: Shimano 105 Hub (F): Shimano R500

Hub (R): Shimano R500 Spokes: 14g Black Stainless Rims: Shimano R500 Pedals: Shimano PD-520 Clipless Headset: FSA Integrated 1-1/8

Handlebar: Ritchey Streem Comp 31.8 Grips: Raleigh Gel Tape

Stem: 3d Forged 31.8 4-bolt 6deg Brakes: Tektro Dual Pivot Long Reach Brake Levers: Shimano 105 Tires: Vittoria Zaffiro 700x25c Seat: Selle San Marco Ischia

Seatpost: Cadent Carbon Micro Adjust 31.6mm

Cadent Carbon A.C.E. Evolution:

Taking our Performance Comfort Road concept to a higher level, the **2007 Cadent Carbon** features a totally new full carbon frame that combines proven **Re²P Geometry** with our proprietary **Direct Connect Carbon** technology. The Cadent Carbon sets a new standard for comfort, and with an **A.C.E. Evolution** Cadent frame, you know it's going to be light and fast. We've added a lot of thoughtful features to this model as well, including a custom carbon fork, clearance for 28c tires with fenders, and front and rear fender mounts.



A.C.E.





Re²P, or Relaxed, Ergonomic, Efficient Positioning, is the foundation of our Cadent Line. Using this design philosophy, the Raleigh Product Team has developed a line of bicycles which reduce back and neck strain and pressure on the hands and wrists. The result: A "Heads Up" riding position, allowing Cadent riders to ride longer with more comfort than on traditional road bikes.

The Cadent is perfect for those looking to participate in fast fitness and event rides, light duty touring, commuting or just plain recreational riding fun. New cyclists are perfect candidates for the Cadent, as they will be able to reap the benefits of a lightweight high performance bicycle minus the intimidation that road racing bikes often present. Older riders, those returning to the sport or riders with health or flexibility issues will find relief and renewed enjoyment courtesy of Re²P.



CADENT 2.0



SPECIFICATIONS:

Sizes: 45, 49, 52, 54, 56, 59cm

Frame: Atomic 13 Aluminum w/Replaceable Hanger Fork: Custom Carbon/Alloy Steer, 50mm Offset

Shifter: Shimano Tiagra 9spd **Front Derailleur:** Shimano Tiagra

Rear Derailleur: Shimano Tiagra Cranks: Truvativ ISO Flow 3.1 Road 30/42/52t Bottom Bracket: Truvativ Power Spline

Gear: SRAM PG-950 9spd (12-26t)

Chain: KMC Z9000

Hub (F): Alloy Sealed Joytech QR 28h

Hub (R): Alloy Sealed Joytech QR 32h, Cassette Spokes: 14g Black Stainless

Rims: Alex DC-19 w/Ground Side Pedals: Shimano PD-520 Clipless Headset: FSA Integrated 1-1/8 Handlebar: Alloy Road 26.0 Grips: Raleigh Gel Tape Stem: Alloy Ahead 6deg

Brakes: Tektro Dual Pivot Long Reach Brake Levers: Tektro Inline Tires: Vittoria Zaffiro 700x25c Seat: Selle San Marco Ischia

Seatpost: Cadent Carbon Micro Adjust 27.2mm

Seattle to Portland: A Classic Signature Northwest Cycling Event

One of the largest and most famous organized cycling events in the country occurs every July in the Pacific Northwest. The **Group Health Seattle to Portland Bicycle Classic** – or ST, has been drawing cyclists from all over the world for 27 years running. The STP is the largest multi-day organized bike ride in the Northwest, drawing more than 9000 riders to cruise through the scenic valleys and rural farmlands of western Washington and Oregon.



photo: Jonathan Maus

Organized by Seattle's Cascade Bicycle Club, the largest organized bike club in the US, the STP originated as a race in 1979. The STP allows riders to choose one-day or two-day options to complete its 202 mile length, with the majority choosing the latter. Two-day riders typically overfill hotels, campgrounds, churches and fields near the ride's mid-point in Chehalis, adding a festival-like flair to the proceedings.

The ride is well organized and supported, with rest and community-organized food stops approximately every 25 miles en route. The Cascade Bicycle Club provides sag and mechanical support along the way, but don't be fooled into thinking that the STP can be completed on a lark. Any ride of this magnitude must be approached with the proper preparation of body and equipment, lest the rider find out the hard way what it means to come up a bit short.

For more information please visit: www.cascade.org

CADENT 1.0



SPECIFICATIONS:

Sizes: 45, 49, 52, 54, 56, 59cm

Frame: Atomic 13 Aluminum w/Replaceable Hanger Fork: Custom Carbon/Alloy Steer, 50mm Offset

Shifter: Shimano Sora 8spd Front Derailleur: Shimano 2200 Rear Derailleur: Shimano Sora

Cranks: Truvativ ISO Flow 3.0 Road 30/42/52t

Bottom Bracket: Truvativ Sealed Cartridge

Gear: SRAM PG-850 8spd (12-26t)

Chain: KMC Z82

Hub (F): Alloy Joytech QR 28h Hub (R): Alloy Joytech QR 32h, Cassette Spokes: 14g Stainless Steel Rims: Alex DC-19 w/Ground Side

Pedals: Road Pedals w/Clips and Straps

Headset: FSA Integrated 1-1/8 Handlebar: Alloy Road 26.0 Grips: Raleigh Gel Tape Stem: Alloy Ahead 25deg

Brakes: Tektro Dual Pivot Long Reach Brake Levers: Tektro Inline Tires: Vittoria Zaffiro 700x25c Seat: Selle San Marco Ischia Seatpost: Alloy Micro Adjust 27.2mm



Track/Single Speed

The Rush Hour is back for 2007, and this time it brought some friends to the party: The Rush Hour Pro fills the bill for flat out velodrome racing, while the classic One Way is perfect for commuting, running errands, or just plain styling around.

Alpenrose Velodrome: A Classic Venue for Track Racing

In case you haven't noticed while turning the pages of this catalog, there has been resurgence in the interest in fixed gear and track style bikes of late. Concurrently, there has been renewed interest and participation in track, or velodrome racing. Portland has the good fortune of being the home of **Alpenrose Velodrome**, one of America's premier and most storied venues for track cycling.

Originally constructed as a dirt bike racing track in 1962 by the owners of the Alpenrose Dairy and renovated in 1997, the Alpenrose track has been the site of numerous regional, national and international competitions. Alpenrose Velodrome is one of the steepest and most exciting velodromes in the country. The track is 268 meters in length and the banking is an incredible 43 degrees, causing riders to experience loads of up to 2G's in the tight 16.6 meter radius turns!

The **Oregon Bicycle Racing Association (OBRA)** hosts a full array of events at Alpenrose – ranging from Masters, regional and national championships, to women's and kids races. Alpenrose currently holds the distinction of being the only track in the country hosting a 6-Day race, the FIAC Six Day National Championship, which harkens back to the heyday of track cycling in the US in the early 1900's when velodrome racing was more popular than baseball as a national pastime.

For more information please visit www.obra.org or www.alpenrose.com

Raleigh Cycling Clothing shown in this catalog is available at **www.vergesport.com** or by calling 845-562-2500

RUSH HOUR PRO



SPECIFICATIONS:

Sizes: 50, 53, 55, 57, 59cm

Frame: Atomic 13 SL Butted Aluminum,

w/CNC Dropouts, Stainless Inserts, Chain Tensioners

Fork: Carbon Track w/Alloy Steer Tube Cranks: FSA Carbon Pro Track 48t Bottom Bracket: FSA Platinum ISIS

Gear: 16t Cog Chain: KMC

Hub (F): Mavic Ellipse Hub (R): Mavic Ellipse Spokes: Mavic Ellipse

Rims: Mavic Ellipse Headset: FSA Integrated Cartridge Bearings Handlebar: Deda Pista Track

Handlebar: Deda Pista Tracl Grips: Raleigh Gel Tape

Stem: 3D Forged Alloy Tires: Vittoria Rubino Pro Slick Folding 700x23c

Seat: Raleigh Road

Seatpost: Raleigh Carbon Wrap Micro Adjust 27.2mm

In December 2005, Raleigh America Inc. announced a three year contract to provide support to the newly formed **Spike Professional Cycling Team**. The ultimate goal of this program is to have an athelete return to Olympic glory on a Raleigh bicycle at the 2008 Games in Beijing.

Based in Colorado Springs, the Spike Pro Track team is the United States' first-ever UCI pro track racing team. Comprised of nine of America's top male and female track cyclists, the Spike Team is targeting the UCI National Track Scries, USA Cycling National Track Championships, and selected World Cup Track events. Riders will train and compete on Raleigh road bikes and **Rush Hour Pro** track bikes.





Spike, a product of BioTest Laboratories based in Colorado Springs, CO. is a dietary supplement that boasts "extreme energy for body and mind," and is available nationwide at GNC stores (www.biotest.net)

photo: Don Jones Photography www.donjonesphotography.com

RUSH HOUR



Sizes: 50, 53, 55, 57, 59cm

Frame: Reynolds 525 Butted Chromoly Track w/CNC Dropouts

Frame: Reynolos 325 Butted Chro Fork: Raleigh Chromoly Track Cranks: Truvativ Touro Track 48t Bottom Bracket: Sealed Cartridge Gear: 16t Freewheel, 18t cog Chain: KMC Z82

Chain: KMC Z82
Hub (F): Alloy Sealed 32h, Track
Hub (R): Alloy Sealed 32h, Track
Spokes: 14g Stainless Steel
Rims: Alex DC-19 w/CNC Side
Pedals: Road Pedals w/Clips and Straps
Headset: Ahead 1-1/8
Handlebar: Alloy Road

Grips: Raleigh Gel Tape Stem: Alloy Aheady Brakes: Tektro Dual Pivot Brake Levers: Tektro Road Tires: Vittoria Zaffiro 700x23c Seat: Raleigh Road Seatpost: Raleigh Micro Adjust 27.2mm

ONE WAY



SPECIFICATIONS:

Sizes: 50, 53, 55, 57, 59cm Frame: Reynolds 525 Butted Cromo, w/CNC Dropouts, Canti bosses Fork: 4130 Cromo Classic Cross Cranks: SR Suntour Single Speed w/CNC Guard, 42t

Bottom Bracket: Sealed Cartridge Gear: 16t Freewheel

Chain: KMC Z-82

Hub (F): Alloy Sealed 32h, Track Hub (R): Alloy Sealed 32h, Track **Spokes:** 14g Stainless Steel Rims: Alex AT-400, 700c, Alloy Double Wall, Machined Side

Pedals: Road Pedals w/Clips and Straps

Headset: Ahead 1-1/8 Handlebar: Alloy Road Grips: Raleigh Gel Tape Stem: Alloy Ahead Brakes: Tektro Oryx Canti Brake Levers: Tektro Road Tires: Vittoria Randonneur Cross w/Reflective Sidewall, 700x35c Seat: Raleigh Road

Seatpost: Alloy Micro Adjust 27.2mm

MAX System Makes Life Easier for Portland Cyclists

elements that make up Portland's cycling and pedestrian friendly infrastructure is the Metropolitan Area Express (MAX), a light rail system that is owned and operated by TriMet, Portland's transit authority. Since 1986, Portland residents have been using the MAX system to travel throughout the greater Portland area. TriMet bus systems also incorporate MAX stations into their routes, creating a truly integrated public transportation system.



photo: Jonathan Maus www.bikeportland.org

The MAX system is currently comprised of roughly 45 miles of track, divided into three lines, with two more in the planning stages. The routes primarily occupy reserved lanes, shoulders, and medians on city streets, while there are dedicated right-ofways for the railway outside the central city. On any given day close to 100,000 riders may travel on the MAX system, passing through 63 stations on its more than 100 rail cars

Bikes are allowed on all MAX rail cars and buses for free and bike lockers are available from the Bicycle Transportation Alliance at many MAX stations. There is also a 330-block Fareless Square in the downtown district where all MAX. TriMet bus, and streetcar rides are free of charge.

For more information visit: www.trimet.org



ROUTE 66



SPECIFICATIONS:

Sizes: 47, 50, 53, 56, 59, 62cm Frame: Atomic 13 R Double Butted Aluminum, Re²P Geometry Fork: Carbon Cross w/Alloy Steer Shifter: Shimano R440 Send

Shifter: Shimano R440 9spd Front Derailleur: Shimano R443 FB Rear Derailleur: Shimano 105 Cranks: Truvativ Touro 30/42/52t

Bottom Bracket: Truvativ Power Spline Cartridge

Gear: Shimano HG50 9spd (12-25t)

Chain: KMC Z-9000 Hub (F): Shimano R500

Hub (R): Shimano R500 Spokes: 14g Black Stainless Rims: Shimano R500

Pedals: Shimano PD-520 Clipless Headset: Ahead 1-1/8 Handlebar: Butted Alloy Flat 31.8

Grips: Raleigh

Stem: Alloy Ahead 31.8 4-bolt 7deg Brakes: Tektro Alloy Mini V-brake Brake Levers: Tektro V-brake Tires: Vittoria Rondenour 700x28c

Seat: Raleigh Saddle

Seatpost: Alloy Micro Adjust 27.2 x 300mm

Oregon Coastal Bike Route - US Highway 101

One of the things that makes Oregon attractive as a cycling destination is the wide range of natural beauty that rewards riders who explore its inland and coastal byways. One of the most well established routes is the **Oregon Coast Bike Route**, which follows **US Highway 101** for almost 380 miles in the northwestern part of the state. Thousands of cyclists ride this classic route annually because it provides some of the most spectacular scenery in the country.



Cyclists are directed along the route by a series of posted signs, as areas where the route departs from the highway are called out and cyclists can take advantage of side routes that have lower traffic volumes and speeds. There are also "Cyclists on Roadway" signs in areas where the shoulder is somewhat narrow, alerting motorists to the possibility of riders in the area.

The generally mild nature of Oregon's weather makes this an attractive route in all seasons, although the best months to travel are between late August and October due to reduced traffic volumes. Cyclists should also be prepared for fog. rain, and cool temperatures at any time of the year. Total elevation gain along the route is almost 16,000 feet, so bring your climbing legsl

For more information visit:

www.oregon.gov/ODOT/HWY/BIKEPED/maps.shtml

ROUTE 24

SPECIFICATIONS:

Sizes: 47, 50, 53, 56, 59, 62cm Frame: Atomic 13 R Double Butted Aluminum, Re²P Geometry Fork: Carbon Cross w/Alloy Steer Shifter: Shimano R220/224 8spd Front Derailleur: Shimano R443A FB Rear Derailleur: Shimano Tiagra Cranks: Truvativ ISO Flow Road 30/42/52t

Bottom Bracket: Truvativ Sealed Cartridge Gear: Shimano HG50 8spd (12-25t)

Chain: KMC Z82

Hub (F): Alloy Joytech QR 32h Hub (R): Alloy Joytech QR 32h Cassette Spokes: 14g Black Stainless

Rims: Alex DC-19

Pedals: Alloy Cage/body, Clips and Straps

Headset: Ahead 1-1/8

Handlebar: Butted Alloy Flat 31.8

Grips: Raleigh

Stem: Alloy Ahead 31.8mm 4-bolt 7deg Brakes: Tektro Alloy Mini V-brake Brake Levers: Shimano R220 Tires: Vittoria Rondenour 700x28c

Seat: Raleigh Saddle

Seatpost: Alloy Micro Adjust 27.2 x 300mm



ROUTE 1

SPECIFICATIONS:

Sizes: 45, 47, 50, 53, 56, 59, 62cm Frame: Atomic 13 R Double Butted Aluminum, Re²P Geometry Fork: Alloy Fork w/Rack Mounts Shifter: Shimano R220/224 8spd Front Derailleur: Shimano R443A FB Rear Derailleur: Shimano 2200 Cranks: Truvativ ISO Flow Road 30/42/52t

Bottom Bracket: Truvativ Sealed Cartridge Gear: Shimano HG50 8spd (12-25t)

Chain: KMC Z82

Hub (F): Alloy Joytech QR 32h Hub (R): Shimano RM30 32h Cassette Spokes: 14g Stainless Steel Rims: Alex DC-19 w/Ground Side

Pedals: Alloy Cage/Body, Clips and Straps

Headset: Ahead 1-1/8 Handlebar: Alloy Flat 540mm

Grips: Raleigh

Stem: Alloyi Stem: Alloyi Stem: Alloy Ahead 4-bolt Adjustable Brakes: Tektro Alloy Mini V-brake Brake Levers: Shimano R220 Tires: Vittoria Rondenour 700x28c Seat: Raleigh Saddle

Seatpost: Alloy Micro Adjust 27.2 x 300mm





PASSAGE 6.5



SPECIFICATIONS:

Sizes: M: 15, 17, 19, 21, 23" W: 16, 19"

Frame: Atomic 13 SL Butted Aluminum w/Zero Stack Head Tube, Disc Compatible Rack Mounts Fork: Alloy Hybrid w/Disc and Fender Mounts

Shifter: Shimano Alivio 8spd Front Derailleur: Shimano C50 Rear Derailleur: Shimano Deore

Cranks: Shimano Nexave 28/38/48t Bottom Bracket: Sealed Cartridge

Gear: Shimano HG-40 8spd (II-32t) Chain: KMC Z82 Hub (F): Shimano 495 Center Lock Disc Hubs Hub (R): Shimano 495 Center Lock Disc Hubs

Spokes: 14g Stainless Steel

Rims: Weinmann XTB 32h Double Wall Pedals: Platform Clip and Strap **Headset:** Steel 1-1/8 Integrated **Handlebar:** Alloy Riser

Brakes: Shimano 420 V-brakes Brake Levers: Tektro Comfort Tires: Kenda Cross w/Kshield 700x35c

Grips: Avenir Comfort Stem: Alloy Adjustable

Seat: Avenir Comfy Road Seatpost: Alloy, Bootless Micro Adjust Suspension 27.2 x 300mm



PASSAGE 5.5

SPECIFICATIONS:

Sizes: M: 15, 17, 19, 21, 23" W: 16, 19" Frame: Atomic 13 SL Butted Aluminum,

Zero Stack Headtube, Disc Compatible Rack Mounts

Fork: Alloy Fork w/Rack and Disc Mounts

Shifter: Shimano Alivio 8spd Front Derailleur: Shimano C50 Rear Derailleur: Shimano Deore Cranks: Shimano TX-71 28/38/48t Bottom Bracket: Sealed Cartridge

Gear: Shimano HG40 8spd (11-32t) Chain: KMC Z82

Hub (F): Alloy Joytech QR Disc 32h Hub (R): Alloy Joytech QR Disc 32h Cassette

Spokes: 14g Stainless Steel Rims: Weinmann WDR Disc 32h

Pedals: Comfort Platform Headset: Steel 1-1/8 Integrated Handlebar: Steel Riser

Grips: Avenir Comfort Stem: Alloy Adjustable Brakes: Tektro Aquila V-Brake Brake Levers: Tektro Comfort

Tires: Kenda Cross w/Kshield 700x35c Seat: Avenir Deluxe Comfort Seatpost: Alloy, Bootless Micro Adjust

Suspension 27.2 x 350mm



PASSAGE 5.0

SPECIFICATIONS:

Sizes: M: 15, 17, 19, 21, 23" W: 16, 19" Frame: Atomic 13 SL Butted Aluminum,

Zero Stack Headtube, Disc Compatible Rack Mounts

Fork: SR NEX-4010, 63mm Travel.

w/Preload Adjust

Shifter: Shimano EZ-Fire-50 8spd Front Derailleur: Shimano C50 Rear Derailleur: Shimano Alivio Cranks: Shimano TX-71 28/38/48t Bottom Bracket: Sealed Cartridge Gear: SRAM PG-850 8spd (11-30t)

Chain: KMC Z82

Hub (F): Alloy Joytech QR Disc 32h Hub (R): Alloy Joytech QR Disc 32h Cassette

Spokes: 14g Stainless Steel Rims: Weinmann WDR Disc 32h Pedals: Comfort Platform Headset: Steel 1-1/8 Integrated Handlebar: Steel Riser Grips: Avenir Comfort

Stem: Alloy Adjustable Brakes: Tektro Aquila Ball Bearing Disc Brake Levers: Shimano EZ-Fire-50 Tires: Kenda Cross w/Kshield 700x35c

Seat: Avenir Deluxe Comfort Seatpost: Alloy, Bootless Micro Adjust Suspension 27.2 x 300mm



PASSAGE 4.5



SPECIFICATIONS:

Sizes: M: 15, 17, 19, 21, 23" W: 16, 19" **Frame:** Atomic 13 Aluminum,

w/Replaceable Hanger, Cross Geometry **Fork:** Alloy Fork w/Rack Mounts

Shifter: Shimano EZ-Fire-50 8spd Front Derailleur: Shimano C50 Rear Derailleur: Shimano Alivio Cranks: Shimano TX-71 28/38/48t Bottom Bracket: Sealed Cartridge Gear: Shimano 8spd MegaRange (11-34t)

Chain: KMC Z82 Hub (F): Alloy QR 36h

Hub (R): Shimano RM30 36h Cassette

Spokes: 14g Stainless Steel Rims: Weinmann XTB-26 Double Wall Pedals: Comfort Platform

Headset: Steel 1-1/8 Handlebar: Steel Riser Grips: Avenir Comfort Stem: Alloy Adjustable

Brakes: Tektro Alloy V-brake w/Power Modulator Brake Levers: Shimano EZ-Fire-50

Brake Levers: Shimano EZ-Fire-50
Tires: Kenda Cross w/Kshield 700x40c
Seat: Avenir Deluxe Comfort
Seatpost: Alloy Micro Adjust Bootless

Suspension 27.2x350mm

Providence Bridge Pedal Attracts Thousands Annually

Ten Bridges - No traffic jams! One of the signature cycling events in Portland is the **Providence Bridge Pedal**, an annual event that has attracted huge numbers of area riders for 10 years running. This unique ride allows cyclists to crisscross the Willamette River on no fewer than 10 bridges, including opportunities to ride on the top decks of the Fremont and Marquam bridges - freeways that are normally off limits to bicycles.



photo: Jonathan Maus www.bikeportland.org

Billed as "the perfect Portland event" by the Oregonian newspaper, the PBP is the second largest recreational cycling event in the country. Last year over 18,000 cyclists participated in the event's 10th anniversary edition. With distance options of 14, 24, and 36 miles, the ride offers a choice for all types of riders. Start times are staggered to allow faster riders, women's specific groups and families riding with children a chance to ride in a group that suits their mood and tempo.

Perhaps the atmosphere is best summed up by Oregon's **Bicycle Transportation Alliance** on their website, "Riders go places normally off limits to bikes, reminding themselves and the rest of the city how sweet a world without cars can be - even if only for a day." We witnessed this event during the production of our catalog, and were amazed at the sheer numbers of riders, passing by in a seemingly endless parade.

For more information visit:

www.providence.org/oregon/events/bridge_pedal

PASSAGE 4.0



SPECIFICATIONS:

Sizes: M: 15, 17, 19, 21, 23" W: 16, 19" Frame: Atomic 13 Aluminum,

w/Replaceable Hanger, Cross Geometry Fork: SR NEX-4010, 63mm Travel, w/Preload Adjust
Shifter: Shimano EZ-Fire-50 8spd

Front Derailleur: Shimano C50 Rear Derailleur: Shimano Acera Cranks: Shimano TX-71 28/38/48t Bottom Bracket: Sealed Cartridge

Chain: KMC Z82
Hub (F): Alloy QR 36h
Hub (R): Shimano RM30 36h Cassette

Spokes: 14g Stainless Steel

Rims: Weinmann XTB-26 Double Wall

Pedals: Comfort Platform Headset: Steel 1-1/8

Handlebar: Steel Riser

Grips: Avenir Comfort Stem: Alloy Adjustable Brakes: Tektro Alloy V-brake w/Power Modulator Brake Levers: Shimano EZ-Fire-50

Tires: Kenda Cross w/Kshield 700x40c Seat: Avenir Deluxe Comfort

Seatpost: Alloy Micro Adjust Bootless Suspension 27.2x300mm



PASSAGE 3.5



SPECIFICATIONS:

Sizes: M: 15, 17, 19, 21, 23" W: 16, 19" Frame: Atomic 13 Aluminum,

w/Replaceable Hanger, Cross Geometry
Fork: OS Steel Threadless 700c
Shifter: Shimano Revo 7spd Front Derailleur: Shimano C50 Rear Derailleur: Shimano Altus Cranks: SR Suntour XCC208 28/38/48t Bottom Bracket: Sealed Cartridge Gear: Shimano 7spd MegaRange (14-34t) Chain: KMC Z51

Hub (F): Alloy QR 36h
Hub (R): Alloy QR 36h Freewheel
Spokes: 14g Stainless Steel
Rims: Alex R1000 36h Pedals: Comfort Platform Headset: Steel 1-1/8

Handlebar: Steel Riser Grips: Avenir Comfort Stem: Alloy Adjustable

Brakes: Tektro Alloy V-brake w/Power Modulator

Brake Levers: Tektro V-brake Tires: Kenda Cross w/Kshield 700x40c Seat: Avenir Deluxe Comfort

Seatpost: Alloy Micro Adjust Suspension 27.2 x 300mm



PASSAGE 3.0







SPECIFICATIONS:

Sizes: M: 15, 17, 19, 21, 23" W: 16, 19" Frame: Atomic 13 Aluminum, w/Replaceable Hanger, Cross Geometry

Fork: SR NEX-4010, 63mm Travel, w/Preload Adjust
Shifter: Shimano Revo 7spd Front Derailleur: Shimano C50 Rear Derailleur: Shimano Altus Cranks: SR Suntour XCC208 28/38/48t

Crains: SR Sulliour ACC208 26/36/461 Bottom Bracket: Sealed Cartridge Gear: Shimano 7spd MegaRange (14-34t) Chain: KMC Z51 Hub (F): Alloy QR 36h Hub (R): Alloy QR 36h Freewheel

Spokes: 14g Stainless Steel Rims: Alex R1000 36h
Pedals: Comfort Platform
Headset: Steel 1-1/8
Handlebar: Steel Riser
Grips: Avenir Comfort

Stem: Alloy Adjustable Brakes: Tektro Alloy V-brake w/Power Modulator

Brake Levers: Tektro V-brake Tires: Kenda Cross w/Kshield 700x40c Seat: Avenir Deluxe Comfort

Seatpost: Alloy Micro Adjust





SPECIFICATIONS:

XXIX

Sizes: SM, MD, LG Frame: 29" 4130 Butted Cromo w/CNC Dropouts w/Replaceable Insert Fork: 29" 4130 Cromo w/Disc Tabs Cranks: Truvativ Fire X SS 32t w/Alloy Guard Bottom Bracket: Truvativ External Bearing Gear: 20t Cog

Chain: KMC

Hub (F): Alloy QR Disc, 32h

Hub (R): Alloy QR Single Speed Disc Cassette, 32h

Spokes: 14g DT Swiss Champion Rims: WTB Speed Disc 29", 32h Pedals: Test Ride

Headset: Ahead 1-1/8 Handlebar: Easton EA50 31.8 Grips: Raleigh Stem: Easton EA30 31.8

Brakes: Avid BB5 Disc 6" Rotors Brake Levers: Avid FR-5 Tires: WTB ExiWolf 29x2.3 Seat: WTB Laser V Comp Seatpost: Easton EA30 27.2mm



What is a twenty-nine inch bicycle? Plainly put, the currently popular bicycles being called "29'ers" are mountain bikes with 700c (road diameter) wheels. Tire and wheel size nomenclature can be frustratingly complex, so let's keep it simple – 29-inch wheels and 700c wheels are actually the same. You can interchange the tires and wheels, there is no difference at all - it's just a "name thing." So 29-inch equals 700c It's that simple. Well, sort of.



Color: Dirty Red

So why put 29-inch wheels on a perfectly good mountain bike? For starters, it can be shown that a 29-inch wheel maintains more momentum once moving, is more stable and has increased traction due to its larger tire contact patch, rolls over objects easier, and travels farther for each pedal revolution. 26-inch advocates believe a conventional mountain bike accelerates and brakes faster, and is nimbler handling in tight situations

Ultimately it comes down to riding style - 26-inch for riders who like tight, twisty trails with frequent accelerations and decelerations, and 29-inch wheels for riders who prefer flowing trails, fire roads, and occasional riding on pavement. So take a test ride and see what all the fuss is about, but be forewarned - riding a Raleigh XXIX or XXIX+G may cause rational adults to make spontaneous additions to their bike collection!

XXIX+G



SPECIFICATIONS:

Sizes: SM, MD, LG, XL Frame: 29" 4130 Butted Cromo

w/CNC Dropouts w/Replaceable Insert/Hanger Fork: Rock Shox Reba SL 29" Air w/Rebound

Fork: ROCK SHOX REDA SL 29 AIR W/REDOUR Shifter: SRAM S.7-5 Front Derailleur: SRAM X-7 Rear Derailleur: SRAM X-7 Cranks: Truvativ Fire X 22/32/44t Bottom Bracket: Truvativ External Bearing

Gear: SRAM PG-950 9spd (11-34t)

Chain: SRAM PC-950 Hub (F): Joytech Disc Hub (R): Joytech Disc Spokes: Champion Blk Rims: WTB Speed Disc 29", 32h

Pedals: Test Ride

Headset: Ahead 1-1/8" Handlebar: Easton EA50 31.8

randiebar: Easton EASU 31.8 Grips: Raleigh Stem: Easton EA3U 31.8 Brakes: Avid BB5 Disc 6" Rotors Brake Levers: Avid FR-5 Tires: WTB ExiWolf 29x2.3 Seat: WTB Laser V Comp Seatpost: Easton EA30 27.2mm



MOJAVE 8.0



SPECIFICATIONS:

Sizes: 14, 16, 18, 20, 22

Frame: Atomic 13 SL Custom Butted Aluminum, CNC Machined Headtube, Extruded Seatstay Yoke Fork: SR Suntour XCR 100mm w/Preload Adjust/Lockout Shifter: SRAM SX-5 9spd Front Derailleur: SRAM X-7

Rear Derailleur: SRAM X-7 Cranks: Truvativ Blaze Power Spline 22/32/44t

Bottom Bracket: Truvativ Power Spline Gear: SRAM PG-950 9spd (11-34t)

Chain: SRAM PC-950

Hub (F): Alloy Joytech QR Disc 32h Hub (R): Alloy Joytech QR Disc 32h Cassette Spokes: 14g Stainless Steel Rims: Weinmann WDR Disc 32h Pedals: Resin Body w/ Steel Cage

Headset: Ahead 1-1/8"

Handlebar: Mtn Tapered Alloy 30mm Riser

Grips: Raleigh Stem: Alloy Ahead 4-bolt 10deg Brakes: Avid BB5 disc 6" Rotors Brake Levers: Avid FR-5

Tires: Geax Mezcal 26x2.1 Seat: WTB Speed V Sport

Seatpost: Alloy Micro Adjust 27.2mm



MOJAVE 5.5

SPECIFICATIONS:

Sizes: M:14, 16, 18, 20, 22

Frame: Atomic 13 SL Custom Butted Aluminum, CNC Machined Headtube, Extruded Seatstay Yoke Fork: SR Suntour XCR 100mm Travel w/Preload Adjust

Shifter: Alivio 8spd

Front Derailleur: Shimano Acera Rear Derailleur: Shimano Deore Cranks: Truvativ Iso Flow 22/32/42t Bottom Bracket: Truvativ Power Spline Gear: Shimano HG40 8spd (11-32t)

Chain: Shimano IG31

Hub (F): Alloy Joytech QR 32h Hub (R): Shimano RM30 32h Cassette Spokes: 14g Stainless Steel
Rims: Weinmann XTB 26 DW 32h Pedals: Resin Platform

Headset: Ahead 1-1/8'

Handlebar: Mtn Tapered Alloy 30mm Riser

Grips: Raleigh

Stem: Alloy Ahead 4-bolt 10deg Brakes: Tektro Alloy V-brake Brake Levers: Tektro V-brake Tires: Geax Mezcal 26x2.1 Seat: WTB Speed V Comp

Seatpost: Alloy Micro Adjust 27.2mm



MOJAVE 5.0

SPECIFICATIONS:

Sizes: M:14, 16, 18, 20, 22

Frame: Atomic 13 SL Custom Butted Aluminum, CNC Machined Headtube, Extruded Seatstay Yoke Fork: SR XCM 100mm Travel w/Preload Adjust

Shifter: Alivio 8spd

Front Derailleur: Shimano Acera Rear Derailleur: Shimano Alivio Cranks: Truvativ ISO Flow 22/32/42t Bottom Bracket: Sealed Cartridge Gear: Shimano HG40 8spd (11-32t)

Chain: Shimano IG31

Hub (F): Alloy Joytech QR Disc 32h Hub (R): Alloy Joytech QR Disc 32h Cassette

Spokes: 14g Stainless Steel Rims: Weinmann WDR Disc 32h Pedals: Resin Platform

Headset: Ahead 1-1/8" Handlebar: Mtn Tapered Steel 30mm Riser

Grips: Raleigh

Stem: Alloy Ahead 4-bolt 10deg

Brakes: Tektro Aquila Ball Bearing Disc w/Wavy Rotor

Brake Levers: Tektro Tires: Geax Mezcal 26x2.1

Seat: WTB Speed V Comp Seatpost: Alloy Micro Adjust 27.2mm



MOJAVE 4.5

SPECIFICATIONS:

Sizes: M: 14, 16, 18, 20, 22" W: 16" Frame: Atomic 13 Aluminum

Fork: SR XCT 75mm Travel w/Preload Adjust

Shifter: Shimano EZ-Fire-50 8spd Front Derailleur: Shimano C50 Rear Derailleur: Shimano Alivio Cranks: SR Suntour XCC102 24/34/42t Bottom Bracket: Sealed Cartridge Gear: Shimano HG40 8spd (11-32t) Chain: Shimano IG31

Hub (F): Alloy Joytech QR 32h Hub (R): Shimano RM30 32h Cassette Spokes: 14g Stainless Steel

Rims: Weinmann XTB 26 DW 32h Pedals: Resin Platform Headset: Ahead 1-1/8

Handlebar: Mtn Tapered Steel 30mm Riser

Grips: Raleigh

Stem: Alloy Ahead 4-bolt 20deg Brakes: Tektro Alloy V-brake Brake Levers: Shimano EZ-Fire-50 Tires: Kenda K879 26x1.95

Seat: Raleigh Mountain

Seatpost: Alloy Micro Adjust 27.2mm



MOJAVE 4.0

SPECIFICATIONS:

Sizes: M: 14, 16, 18, 20, 22 Frame: Atomic 13 Aluminum

Fork: SR XCT 75mm Travel w/Preload Adjust

Shifter: Shimano EZ-Fire-50 8spd Front Derailleur: Shimano C50
Rear Derailleur: Shimano Acera Cranks: SR Suntour XCC102 24/34/42t Bottom Bracket: Sealed Cartridge Gear: Shimano HG40 8spd (11-32t)

Chain: KMC Z51

Hub (F): Alloy Joytech QR Disc 32h Hub (R): Alloy Joytech QR Disc 32h Cassette Spokes: 14g Stainless Steel

Rims: Weinmann XTB 26 DW 32h Pedals: Resin Platform

Headset: Ahead 1-1/8

Handlebar: Mtn Tapered Steel 30mm Riser

Grips: Raleigh

Stem: Alloy Ahead 4-bolt 20deg
Brakes: Tektro IO Disc w/Wavy Rotor Brake Levers: Shimano EZ-Fire-50 Tires: Kenda K879 26x1.95 Seat: Raleigh Mountain

Seatpost: Alloy Micro Adjust 27.2mm



MOJAVE 2.0



SPECIFICATIONS:

Sizes: M: 12, 14, 16, 18, 20, 22" W: 12, 16, 19" **Frame:** Atomic 13 Aluminum w/Replaceable Hanger

Fork: SR M2000 63mm Travel Shifter: Shimano EZ-Fire-50 7spd Front Derailleur: Shimano C50 Rear Derailleur: Shimano Altus Cranks: SR Suntour XCC208 28/38/48t Bottom Bracket: Saled Mach Rocs

Bottom Bracket: Sealed Mech 8pcs Gear: Shimano 7spd TZ07 (14-28t)

Chain: KMC Z51

Hub (F): 36h Alloy Joytech QR **Hub (R):** 36h Alloy Joytech QR, Freewheel

Spokes: 14g Stainless Steel Rims: Alex R1000 36h Pedals: Resin Platform Headset: Ahead 1-1/8

Handlebar: Mtn Steel 30mm Riser

Grips: Avenir Mtn PVC

Stem: Threadless Alloy 4-bolt 25deg Rise **Brakes:** Tektro Alloy V-brake

Brake Levers: Shimano EZ-Fire-50 Tires: Kenda K879 26x1.95 Seat: Raleigh Mountain

Seatpost: Alloy Micro Adjust 27.2mm

Forest Park Offers Portland Residents Recreational Opportunity

Like a wooded gem in an urban setting, **Forest Park** is one of the largest forested city parks in the U.S., covering more than 5,000 acres. Overlooking the Willamette River, the park contains nearly 70 miles of varied trails along its eight mile length. This oasis provides sanctuary for a wide variety of user groups, from hikers to bird watchers, runners, cyclists, and outdoor enthusiasts.



photo: Earl Harper www.harperstudios.com

Thanks in large part to the collaborative efforts of the **Portland United Mountain Pedalers (PUMP)** and the Friends of Forest Park, a grant was secured that makes possible the construction of the first new bicycle trail in Forest Park since 1988. This new trail will be built as an addition to an existing access road system, and will be constructed by volunteer trail builders and AmeriCorps volunteers.

The new trail will be maintained by PUMP and will be used to demonstrate that mountain biking can be a sustainable low-impact activity in such shared use areas. According to PUMP board member Roger Louton' "By doing this, showing we care about the park and helping out, we hope that the Parks Department will be open to adding more trails in the future."

For more information please visit:

www.pumpclub.org or www.friendsofforestpark.org











SPECIFICATIONS:

Sizes: M:14, 16, 18, 20, 22", W: 16, 19"

Frame: Atomic 13 Aluminum, Comfort Geometry w/Internal Cable Guides and Replaceable Hanger

Fork: SR NEX-4000, 63mm Travel, w/Preload Adjust Shifter: Shimano EZ-Fire-50 8spd Front Derailleur: Shimano C50 Rear Derailleur: Shimano Acera Cranks: Shimano TX-71 28/38/48t Bottom Bracket: Sealed Cartridge Gear: Shimano 8spd MegaRange (11-34t)

Chain: KMC Z82

Hub (F): Alloy Joytech QR 36h Hub (R): Shimano RM30 QR 36h Cassette Spokes: 14g Stainless Steel

Rims: Weinmann XTB-26 Double Wall Pedals: Comfort Platform

Headset: Steel 1-1/8 Handlebar: Comfort Riser Grips: Avenir Comfort

Stem: Alloy Adjustable
Brakes: Tektro Alloy V-brake w/Power Modulator
Brake Levers: Shimano EZ-Fire-50

Tires: Kenda Comfort w/Kshield 26x1.95 Seat: Avenir Deluxe Comfort Seatpost: Alloy Micro Adjust Bootless

Suspension 27.2x300mm









SPECIFICATIONS:

Sizes: M: 14, 16, 18, 20, 22", W: 16, 19" Frame: Atomic 13 Aluminum, Comfort Geometry w/Internal Cable Guides and Replaceable Hanger Fork: SR NEX-4000, 63mm Travel, w/Preload Adjust

Shifter: Shimano Revo 7spd Front Derailleur: Shimano C50 Rear Derailleur: Shimano Altus Cranks: SR Suntour XCC208 28/38/48t Bottom Bracket: Sealed Cartridge Gear: Shimano 7spd MegaRange (14-34t) Chain: KMC Z51

Hub (F): Alloy Joytech, QR 36h **Hub (R):** Alloy Joytech QR 36h Freewheel **Spokes:** 14g Stainless Steel

Spokes: 14g Stainless Steel Rims: Alloy 36h

Pedals: Comfort Platform Headset: Steel 1-1/8" Handlebar: Comfort Riser Grips: Avenir Comfort Stem: Alloy Adjustable

Brakes: Tektro Alloy V-brake w/Power Modulator

Brake Levers: Tektro V-brake Tires: Kenda Comfort w/Kshield 26x1.95 Seat: Avenir Deluxe Comfort

Seatpost: Alloy Micro Adjust Suspension 27.2 x 300mm

City of Portland Encourages Trips by Bicycle

How many cities can you name where the government actually encourages folks to use their bicycles more often for trips within city limits? Not surprisingly, Portland has them beat in this department, as evidenced by the City of Portland's Portland by Cycle program. Through this program, the Portland Office of Transportation is seeking to promote bicycling as a viable means of transportation and a component of a healthy lifestyle.



photo: Jonathan Maus

The program has several components, including a resource kit that includes bicycle maps, ride and event schedules, a cycling coupon book and a Portland by Cycle guide. There are also various programs that target specific types of cyclists and offer resources and incentive to get them out and riding.

One of these programs is called **Summer Cycle**, and consists of a series of casual 8-10 mile organized rides around Portland's east-side. **Women on Bikes** is a program that seeks to increase female rider participation by providing clinics, rides, and resources geared specifically towards encouraging women cyclists. The city's **Smart Living** classes educate participants about the value of cycling as a component of a healthy, active, sustainable lifestyle.

For more information please visit:

www.portlandonline.com/transportation/index.cfm?c=ebfdf





VENTURE







SPECIFICATIONS:

Sizes: M: 16, 18, 20, 22", W: 16, 19"
Frame: Atomic 13 Aluminum, Comfort Geometry w/Internal Cable Guides and Replaceable Hanger

Fork: OS Steel Threadless
Shifter: Shimano Revo 7spd
Rear Derailleur: Shimano TX-30
Cranks: Prowheel 40t w/Double Guard Bottom Bracket: Sealed Mech 8pc

Gear: Shimano 7spd MegaRange (14-34t) Chain: KMC Z51

Hub (F): Alloy Joytech QR 36h Hub (R): Alloy Joytech QR 36h, Freewheel Spokes: 14g Stainless Steel

Rims: Alloy 36h
Pedals: Resin Platform

Headset: Sealed Threaded 1-1/8"

Handlebar: Comfort Riser

Grips: Avenir Stem: Alloy Adjustable

Brakes: Alloy V-brake
Brake Levers: Alloy 4-Finger
Tires: Kenda K841A 26x1.95 Seat: Avenir Deluxe Comfort Seatpost: Alloy Micro Adjust

Suspension 27.2 x 300mm



COMPANION



SPECIFICATIONS:

Sizes: 16.5/19^a

Frame: Steel/CRMO Comfort Tandem

Fork: CRMO 1-1/8 Final CRIMO 11/98 Shifter: SRAM SX4 8spd Front Derailleur: Shimano T401 Rear Derailleur: SRAM SX-5 Cranks: Truvativ 5D Tandem 28/38/48t

Bottom Bracket: Sealed Cartridge Gear: SRAM PG-830 8spd (11-34t)

Chain: KMC

Hub (F): Alloy QR 36h Hub (R): Shimano RM30 36h Cassette Spokes: 14g Stainless Steel Rims: Alex DM21 36h

Pedals: Comfort Platform Headset: Steel 1-1/8 Handlebar: Steel Riser Grips: Avenir Comfort
Stem: Steel/Alloy
Brakes: Tektro Alloy V-brake
Brake Levers: Tektro V-brake
Tires: Kenda Comfort w/Kshield 26x1,95

Seat: Avenir Deluxe Comfort

Seatpost: Alloy Micro Adjust/Alloy Suspension



Fashion meets fun and the lucky winner is you, on your stylish Cruiser from Raleigh America. With stainless spokes, new colors and graphics and that classic retro heron chainring, these bikes are pure enjoyment on wheels.



RETROGLIDE NX3



SPECIFICATIONS:

Sizes: M:18, W:18

Frame: Atomic 13 Aluminum Cruiser

Fork: Steel Springer Shifter: Shimano 3spd Cranks: 1pc 46t Raleigh Heron Bottom Bracket: 8pc Loose Ball

Gear: 22t Cog
Chain: KMC Z510
Hub (F): Alloy Joytech, 36h
Hub (R): Shimano Internal 3spd
Spokes: 14g Stainless Steel
Rims: Alex Zuma 36h
Pedals: Cruiser Platform
Headset: Steel 1-1/8"

Handlebar: Steel Cruiser 700x80mm Grips: Cruiser

Stem: Alloy Cruiser 2-bolt Clamp

Brakes: Coaster Brake

Tires: Kenda Cruiser Whitewall 26x2.125 **Seat:** Raleigh Cruiser Deluxe **Seatpost:** Alloy Micro Adjust 27.2mm





SPECIFICATIONS:

Sizes: M:18, W:17

Frame: Atomic 13 Aluminum Cruiser

Fork: Steel Cruiser

Shifter: Shimano Revo 7spd Rear Derailleur: Shimano TX-30 Cranks: 1pc 46t Raleigh Heron Bottom Bracket: 8pc Loose Ball

Gear: Shimano MF-HG37 (14-28t) 7spd Chain: Shimano IG31

Hub (F): Alloy Joytech, 36h
Hub (R): Alloy Joytech 36h Freewheel
Spokes: 14g Stainless Steel
Rims: Alex R1000 36h
Pedals: Cruiser Platform

Headset: Steel 1-1/8"

Handlebar: Steel Cruiser 700x80mm

Grips: Cruiser Stem: Alloy Cruiser 2-bolt Clamp

Brakes: Tektro V 120mm

Brake Levers: Tektro V-brake
Tires: Kenda Cruiser Whitewall 26x2.125
Seat: Raleigh Cruiser Deluxe

Seatpost: Alloy Micro Adjust 27.2mm



RETROGLIDE 1



SPECIFICATIONS:

Sizes: M:18, W:17 Frame: Atomic 13 Aluminum Cruiser

Fork: Steel Cruiser Cranks: 1pc 46t Raleigh Heron Bottom Bracket: 8pc Loose Ball

Gear: 20t Cog Chain: KMC Z510

Hub (F): Alloy Joytech, 36h Hub (R): Shimano Coaster, 36h Spokes: 14g Stainless Steel Rims: Alex Zuma 36h Pedals: Cruiser Platform

Headset: Steel 1-1/8" Handlebar: Steel Cruiser 700x80mm

Grips: Cruiser

Stem: Alloy Cruiser 2-bolt Clamp

Brakes: Coaster Brake

Tires: Kenda Cruiser Whitewall 26x2.125

Seat: Raleigh Cruiser Deluxe

Seatpost: Alloy Micro adjust 27.2mm

Tour de Fat: The Other TDF

Portland's cycling community includes the full spectrum of bicycle user types. Buttoned-down white collar business types, working messengers, fitness seekers, racer dudes, and dude-ettes all co-exist in a reasonably peaceful fashion on the streets of the Rose City. One particular event however, caters specifically to the left-leaning (and sometimes wobbling) element of cycling society, and that is none other than New Belgium Brewery's Tour de Fat!



photo: Jonathan Maus www.bikeportland.org

Billed as a "philanthropic cycling circus," the TDF is an annual event sponsored by New Belgium Brewery that takes place in forward-thinking cities across the country. Participants are encouraged to get their freak on, so to speak, by combining tall bike, chopper, and cruiser riding with copious amounts of costumed revelry. Perhaps a malt beverage or two will be consumed, and proceeds from beer sales go to the **Bicycle Transportation** Alliance (BTA) and Portland United Mountain Pedalers (PUMP).

With a bike parade, bike limbo, and dance contests, a slow riding championship, and many other events, the TDF is a feast for the senses and a festival of biking free-spiritedness that has to be experienced to be believed. Check it out in a city near you!

For more information please visit: www.newbelgium.com/vibe_tourdefat.php





SPECIAL

SPECIFICATIONS:

Sizes: M:18, W:17" Frame: Steel Cruiser
Fork: Steel Cruiser
Cranks: 1pc 46t Raleigh Heron

Bottom Bracket: 8pc Loose Ball

Gear: 20t Cog Chain: KMC Z510

Hub (F): Alloy Joytech, 36h Hub (R): Shimano Coaster, 36h Spokes: 14g Stainless Steel Rims: Alex Zuma 36h Pedals: Cruiser Platform Headset: Steel 1-1/8"

Handlebar: Steel Cruiser 700x80mm

Grips: Cruiser

Stem: Alloy Cruiser 2-bolt Clamp Brakes: Coaster Brake

Tires: Kenda Cruiser Whitewall 26x2.125

Seat: Raleigh Cruiser Seatpost: Alloy Micro Adjust



P.U.B.

SPECIFICATIONS:

Frame: Atomic 13 Aluminum Cruiser

Fork: Steel Cruiser
Cranks: 3pc Alloy 46t Raleigh Heron
Bottom Bracket: 8pc Loose Ball
Gear: 20t Cog

Chain: KMC Z510

Hub (F): Alloy Joytech 36h

Hub (R): Alloy Joytech Coaster 36h

Spokes: 14g Stainless Steel Rims: Alex Zuma 36h

Pedals: Alloy Platform Headset: Steel 1-1/8" Handlebar: Steel Cruiser 700x80mm

Grips: Cruiser Stem: Alloy Cruiser

Brakes: Coaster Brake Tires: Kenda Cruiser 26x2.25 Seat: Raleigh Cruiser Deluxe

Seatpost: Alloy Micro Adjust





RETRO 20

SPECIFICATIONS:

Sizes: 20" Girls

Frame: 20" Girls HiTen Steel Cruiser Fork: 20" HiTen Steel Cruiser

Cranks: 5-1/2" Opc, 36t

Bottom Bracket: 8pc Loose Ball

Gear: 18t Cog Chain: KMC Z410 Hub (F): Steel 36h Nutted

Hub (R): Steel 36h Nutted Coaster

Spokes: 14g Stainless Steel Rims: Alloy 36h Pedals: Jr. Resin Platform Headset: 1" Threaded Handlebar: Steel Cruiser Style Grips: Jr. Soft PVC Stem: Alloy 2-bolt Quill

Brakes: Coaster Brake

Tires: Cruiser Whitewall 20x2.125 Seat: Jr. Cruiser w/Steel Springs Seatpost: Steel Pillar 25.6



Community Cycling Center Brings Cycling Education to Youth

One of the most impressive aspects of Portland's bike community is the way that varying groups band together for a cause and make a difference in the community through the love of cycling. One organization that brings seemingly disparate elements together is the Community Cycling Center, or CCC.



photo: Jonathan Maus www.bikeportland.org

Established in 1994, the CCC offers a variety of programs and services, from free earn-a-bike programs for low income youth and adults to a full-service bike shop where "renewed" bikes, formerly occupying storage spaces, are sold. Proceeds from the bike shop benefit the popular earn-a-bike programs. In 2005, more than 500 local adults and kids earned free bikes through the Community Cycling Center.

The CCC has several key programs for youth, with the goal of providing at risk and low income children with an engaging, positive environment. One such program is **Get Linked**, which enables kids 5 to 12 years old in the neighborhoods surrounding the CCC's north Portland shop, to learn bike safety skills after school. Kids master 42 different skills, and in doing so earn refurbished bicycles, new helmets and locks.

The CCC has many other programs, camps, events and clinics designed to benefit both children and adults regardless of economic status. As CCC Development Director Alison Hill puts it, "the goal of our programs is to create a safe, accessible and sustainable bicycling community." To get inspired and to see how positive thinking, foresight, and dedication can make a difference in a community, visit www.communitycyclingcenter.org, or call 503-546-8864.



SPECIFICATIONS:

Sizes: 16" Girls

Frame: 16" Girls HiTen Steel Cruiser

Fork: 16" HiTen Steel Cruiser Cranks: 4-1/2" Opc, 36t Bottom Bracket: 8pc Loose Ball

Gear: 18t Cog Chain: KMC Z410

Hub (F): Steel 28h Nutted

Hub (R): Steel 28h Nutted Coaster Spokes: 14g Stainless Steel

Rims: Alloy 28h

Pedals: Jr. Resin Platform Headset: 1" Threaded

Handlebar: Steel Cruiser Style Grips: Jr. Soft PVC Stem: Alloy 2-bolt Quill

Brakes: Coaster Brake
Tires: Cruiser Whitewall 16x2.125

Seat: Jr. Cruiser w/Steel Springs **Seatpost:** Steel Pillar 25.6



MTN SCOUT

SPECIFICATIONS:

Sizes: 24" Boys/Girls

Frame: Aluminum OS Action Curve ATB Fork: SR Suntour M2000, 50mm Travel Shifter: Shimano Revo 7spd

Front Derailleur: Shimano TY-32 Rear Derailleur: Shimano TX-30 Cranks: SR Suntour XCC100 28/38/48t Bottom Bracket: Sealed Mech Loose Ball **Gear:** Shimano TZ07 7spd (14-28t)

Chain: KMC Z51

Hub (F): Alloy QR 36h Hub (R): Alloy 36h Nutted, Freewheel

Spokes: 14g Stainless Steel Rims: Alloy 36h Black Pedals: Resin Platform Headset: Threaded 1-1/8 Handlebar: Steel Riser Grips: Avenir Soft PVC 110mm

Stem: Alloy 4 Bolt Quill Brakes: Tektro Alloy V-brake Brake Levers: Tektro Jr. V-brake

Tires: MTB 24"

Seat: Raleigh Jr. Mtn Seatpost: Alloy Pillar 27.2x300



ROWDY

SPECIFICATIONS:

Sizes: 20" Boys/Girls

Frame: Aluminum OS Action Curve ATB w/Replaceable Hanger

Fork: SR Suntour M2000, 30mm travel Shifter: Shimano Revo 6spd

Rear Derailleur: Shimano TX-30 Cranks: Steel 5-1/2" w/40t Chainring and Double Guard Bottom Bracket: 8pc Loose Ball

Gear: Shimano TZ06 6spd (14-28t)

Chain: KMC Z51

Hub (F): Alloy 36h Nutted

Hub (R): Alloy 36h Nutted, Freewheel

Spokes: 14g Stainless Steel Rims: Alloy 36h Black Pedals: Resin Platform Headset: Threaded 1-1/8" Handlebar: Jr Riser 580x30mm Grips: Avenir Soft PVC Stem: Alloy 4 Bolt Quill Brakes: Tektro Alloy V-brake Brake Levers: Tektro Jr. V-brake Tires: MTB 20"

Seat: Raleigh Jr. Mtn

Seatpost: Steel Pillar 27.2x300mm



MXR Color: Chrome Color: Blue **MXR MINI** Color: Orange Color: Chrome **MXR MICRO** Color: Blue







Model:	Prestige	Competition	Supercourse	Grand Prix	Grand Sport	Sport	Intrigue 2.0	Intrigue 1.0	Rx 1.0
Sizes:	50, 53, 55, 57, 59, 62cm	50, 53, 55, 57, 59, 62cm	50, 53, 55, 57, 59, 62cm	50, 53, 55, 57, 59, 62cm	47, 50, 53, 56, 59, 62cm	47, 50, 53, 56, 59, 62cm	44, 47, 50, 53, 56cm	44, 47, 50, 53, 56cm	50, 53, 55, 57, 59cm
Frame:	ACE Evolution, Direct Connect Carbon Frame	ACE Evolution, Direct Connect Carbon Frame	ACE Evolution, Direct Connect Carbon Frame	Atomic 13 SL Aluminum, Integrated Headtube, Hydro- Formed Rear Yolk	Atomic 13 Aluminum, Integrated Headtube	6061 Aluminum w/Replaceable Hanger	Atomic 13 SL Butted Alloy Women's Geometry	Atomic 13 SL Butted Alloy Women's Geometry	Atomic 13 SL Butted Alloy, Cyclocross Integrated Headtube
Fork:	Easton EC90 SL Carbon w/Carbon Steer Tube	Easton EC70 Carbon w/Alloy Steer Tube	Easton EC70 Carbon w/Alloy Steer Tube	Easton EA70 Carbon w/Alloy Steer tube	Carbon Composite w/Alloy Steer tube	Chromoly Road	Easton EC70 Carbon w/Alloy Steer Tube	Easton EC70 Carbon w/Alloy Steer Tube	Easton EC90 X Carbon Cross w/Carbon Steer Tube
Shifter:	Shimano Ultegra 10spd	Shimano 105 10spd	Shimano Tiagra 9spd	Shimano 105 10spd	Shimano Sora 8spd	Shimano Sora 8spd	Shimano Tiagra 9spd	Shimano Sora 8spd	Shimano Tiagra 9spd
Front Derailleur:	Shimano Ultegra	Shimano 105	Shimano Tiagra	Shimano 105	Shimano 2200	Shimano 2200	Shimano Tiagra	Shimano 2200	Shimano Tiagra
Rear Derailleur:	Shimano DuraAce	Shimano Ultegra	Shimano 105	Shimano Ultegra	Shimano Tiagra	Shimano 2200	Shimano 105	Shimano Sora	Shimano 105
Cranks:	Truvativ Rouleur GXP 39/53t	Truvativ Elita 2.1 GXP Compact 34/50t	Truvativ Touro 2.1 Compact Power Spline Road 34/50t	Truvativ Elita 2.1 GXP Compact 34/50t	Truvativ Touro Road 30/42/52t	Truvativ ISO Flow Road 3.0 30/42/52t	Truvatiiv Touro Compact 34/50t	Truvativ Iso Flow Road 30/42/52t	Truvative Elita Cyclocross 39/48t
Bottom Bracket:	Truvativ GXP external bearing	Truvativ GXP external bearing	Truvativ Power Spline Cartridge	Truvativ GXP external bearing	Sealed Cartridge	Sealed Cartridge	Sealed Cartridge	Sealed Cartridge	Truvativ External Bearing
Gear:	Shimano Ultegra 10spd (11-23t)	Shimano 105 (12-27t)	SRAM PG-950 9spd (12-26t)	Shimano 105 (12-27t)	SRAM PG-850 8spd (12-26t)	SRAM PG-850 8spd (12-26t)	Shimano HG50 9spd (12-25t)	Shimano HG50 8spd (12-25t)	SRAM PG-950 9spd (12-26t)
Chain:	Shimano Ultegra	Shimano 105	KMC Z9000	Shimano 105	KMC HG50	KMC HG50	KMC Z9000	KMC Z9000	KMC Z9000
Hub (F):	Fulcrum Racing 7	Mavic Aksium	Shimano R500	Shimano R500	Alloy Joytech, QR 32h	Alloy Joytech, QR 32h	Shimano R500	Joytech Alloy QR	Alloy Sealed Cartridge
Hub (R):	Fulcrum Racing 7	Mavic Aksium	Shimano R500	Shimano R500	Alloy Joytech QR 32h Cassette	Alloy Joytech QR 32h Cassette	Shimano R500	Joytech Alloy QR	Alloy Sealed Cassette
Spokes:	Fulcrum Racing 7	Mavic Aksium	14g Black Stainless Steel	14g Black Stainless	14g Stainless Steel	14g Stainless Steel	Shimano R500	14g Stainless	14g DT Swiss Champion Blk
Rims:	Fulcrum Racing 7	Mavic Aksium	Shimano R500	Shimano R500	Alex DA-16 Double Wall	Alex DA-16 Double Wall	Shimano R500	Alex DC19 Double Wall	Alex AT-400 Double Wall w/Eyelets
Pedals:	Test Ride	Test Ride	Test Ride	Test Ride	Road Pedals w/Clips and Straps	Road Pedals w/Clips and Straps	Shimano 505	Road Pedals w/Clips and Straps	Crank Bros Eggbeater C
Headset:	FSA Integrated 1-1/8	FSA Integrated 1-1/8	FSA Integrated 1-1/8	FSA Integrated 1-1/8	FSA Integrated Cartridge Bearings	Ahead 1-1/8	FSA Integrated 1-1/8	FSA Integrated 1-1/8	FSA Integrated Cartridge Bearings
Handlebar:	Easton EA70 Road 31.8	7005 Alloy Road 31.8	7005 Alloy Road 31.8	7005 Alloy Road 31.8	Alloy Road	Alloy Road	Raleigh Expression Alloy Road 31.8	Raleigh Expression Alloy Road 31.8	Easton EA30 31.8
Grips:	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh Gel Tape
Stem:	Easton EA90 Forged 31.8	3D Forged 4-bolt 31.8	3D Forged 4-bolt 31.8	3D Forged 4-bolt 31.8	Alloy Adjustable	Alloy Adjustable	3D Forged 4-bolt 31.8	3D Forged 4-bolt 31.8	Easton EA30 31.8
Brakes:	Shimano Ultegra	Tektro Dual Pivot	Tektro Dual Pivot	Tektro Dual Pivot	Tektro Dual Pivot	Tektro Dual Pivot	Tektro Dual Pivot	Tektro Dual Pivot	Tektro Oryx canti w/All Condition Pads
Brake Levers:	Shimano Ultegra	Shimano 105	Shimano Tiagra	Shimano 105	Shimano Sora/Tektro Inline Levers	Shimano Sora/Tektro Inline Levers	Shimano Tiagra	Shimano Sora	Shimano Tiagra
Tires:	Vittoria Rubino Pro Folding 700x23c	Vittoria Zaffiro 700x23c	Vittoria Zaffiro 700x23c	Vittoria Zaffiro 700x23c	Vittoria Zaffiro 700x25c	Vittoria Zaffiro 700x25c	Vittoria Zaffiro 700x25c	Vittoria Zaffiro 700x25c	WTB Cross Wolf 700x32c
Seat:	Selle Italia SLR Gel Flow	Selle San Marco Ponza Lux	Selle San Marco Ponza Lux	Selle San Marco Ponza Lux	Avenir Road	Avenir Road	Selle San Marco Ischia Women's	Selle San Marco Ischia Women's	WTB Rocket V
Seatpost:	Easton EC70 Carbon 31.6mm	Raleigh Carbon Wrap Micro Adjust 31.6mm	Raleigh Carbon Wrap Micro Adjust 31.6mm	Raleigh Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Raleigh Carbon Wrap Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Easton EA30 27.2mm
Extras:	Cateye Reflector set, Clear Coat, Owners Manual	Rack & Fender Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Cateye Reflector Set, Clear Coat, Owners Manuall	Rack & Fender Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Cateye Reflector Set, Clear Coat, Owners Manual	Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water Bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual
Color(s):	Silver/Carbon	Raleigh Blue/Carbon	Carbon	Silver/Black	Red/Black/Silver	Blue/Silver/White	Light Green/Citron	Periwinkle Blue/Gold	Raleigh Blue

Model:	Cadent Carbon	Cadent 2.0	Cadent 1.0	Rush Hour Pro	Rush Hour	One Way	Route 66	Route 24	Route 1
Sizes:	49, 52, 54, 56, 59cm	45, 49, 52, 54, 56, 59cm	45, 49, 52, 54, 56, 59cm	50, 53, 55, 57, 59cm	50, 53, 55, 57, 59cm	50, 53, 55, 57, 59cm	47, 50, 53, 56, 59, 62cm	47, 50, 53, 56, 59, 62cm	45, 47, 50, 53, 56, 59, 62cm
Frame:	Direct Connect Carbon Cadent, Re ² P Heads-Up Geometry	Atomic 13 R Double Butted Aluminum, Re ² P Heads-Up Geometry	Atomic 13 R Double Butted Aluminum, Re ² P Heads-Up Geometry	Atomic 13 SL Butted Aluminum, w/CNC Dropouts, Stainless Inserts, Chain Tensioners	Reynolds 525 Butted Chromoly Track w/CNC Dropouts	Reynolds 520 Butted Chromoly w/CNC Drop- outs, Canti Bosses	Atomic 13 R Double Butted Aluminum, Re ² P Heads-Up Geometry	Atomic 13 R Double Butted Aluminum, Re ² P Heads-Up Geometry	Atomic 13 R Double Butted Aluminum, Re ² P Heads-Up Geometry
Fork:	Custom Carbon w/Carbon Steer Tube, 50mm Offset	Custom Carbon w/Alloy Steer Tube, 50mm Offset	Custom Carbon w/Alloy Steer Tube, 50mm Offset	Raleigh Carbon Track Fork w/ Alloy Steer Tube	Raleigh Chromoly Track	Raleigh 4130 Cromo Classic Cross	Carbon Cross w/Alloy Steer Tube	Carbon Cross w/Alloy Steer Tube	Alloy Cross w/Fender Mounts
Shifter:	Shimano 105 10spd	Shimano Tiagra 9spd	Shimano Sora 8spd	N/A	N/A	N/A	Shimano R440 9spd	Shimano R220/224 8spd	Shimano R220/224 8spd
Front Derailleur:	Shimano 105	Shimano Tiagra	Shimano 2200	N/A	N/A	N/A	Shimano R443 FB	Shimano R443A FB	Shimano R443A FB
Rear Derailleur:	Shimano 105	ShimanoTiagra	Shimano Sora	N/A	N/A	N/A	Shimano 105	ShimanoTiagra	Shimano 2200
Cranks:	Truvativ Elita 3.1 GXP 30/42/52t	Truvativ ISO Flow 3.1 Road 30/42/52t	Truvativ ISO Flow 3.0 Road 30/42/52t	FSA Carbon Pro Track 48t	Truvativ Touro Track 48t	SR Suntour Single Speed w/CNC Guard, 42t	Truvativ Touro 30/42/52t	Truvativ ISO Flow Road 30/42/52t	Truvativ ISO Flow Road 30/42/52t
Bottom Bracket:	Truvativ GXP	Truvativ Power Spline	Truvativ Sealed Cartridge	FSA Platinum ISIS	Sealed Cartridge	Sealed Cartridge	Truvativ Power Spline Cartridge	Truvativ Sealed Cartridge	Truvativ Sealed Cartridge
Gear:	Shimano 105 10spd 12-27t	SRAM PG-950 9spd (12-26t)	SRAM PG-850 8spd (12-26t)	16t Cog	16t Freewheel, 18t cog	16t Freewheel	Shimano HG50 9spd (12-25t)	Shimano HG50 8spd (12-25t)	Shimano HG50 8spd (12-25t)
Chain:	Shimano 105	KMC Z9000	KMC Z82	KMC	KMC Z82	KMC Z82	KMC Z9000	KMC Z82	KMC Z82
Hub (F):	Shimano R500	Alloy Sealed Joytech QR 28h	Alloy Joytech QR 28h	Mavic Ellipse	Alloy Sealed 32h, Track	Alloy Sealed 32h, Track	Shimano R500	Alloy Joytech QR 32h	Alloy Joytech QR 32h
Hub (R):	Shimano R500	Alloy Sealed Joytech QR 32h, Cassette	Alloy Joytech QR 32h, Cassette	Mavic Ellipse	Alloy Sealed 32h, Track	Alloy Sealed 32h, Track	Shimano R500	Alloy Joytech QR 32h Cassette	Shimano RM30 32h Cassette
Spokes:	14g Black Stainless	14g Black Stainless	14g Stainless Steel	Mavic Ellipse	14g Stainless Steel	14g Stainless Steel	14g Black Stainless	14g Black Stainless	14g Stainless Steel
Rims:	Shimano R500	Alex DC-19 w/Ground Side	Alex DC-19 w/Ground Side	Mavic Ellipse	Alex DC-19 w/CNC Side	Alex AT-400, 700c, Alloy Double Wall, Machined Side	Shimano R500	Alex DC-19	Alex DC-19 w/Ground Side
Pedals:	Shimano PD-520 clipless	Shimano PD-520 clipless	Road Pedals w/Clips and Straps	Test Ride	Road Pedals w/Clips and Straps	Road Pedals w/Clips and Straps	Shimano PD-520 Clipless	Alloy Cage & Body, w/Clips and Straps	Alloy Cage & Body, w/Clips and Straps
Headset:	FSA Integrated 1-1/8	FSA Integrated 1-1/8	FSA Integrated 1-1/8	FSA Integrated Cartridge Bearings	Ahead 1-1/8	Ahead 1-1/8	Ahead 1-1/8	Ahead 1-1/8	Ahead 1-1/8
Handlebar:	Easton EA30 Wing 31.8	Alloy Road 26.0	Alloy Road 26.0	Deda Pista Track	Alloy Road	Alloy Road	Butted Alloy Flat 31.8	Butted Alloy Flat 31.8	Alloy Flat 540mm
Grips:	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh	Raleigh	Raleigh	Raleigh	Raleigh
Stem:	3d Forged 31.8 4-bolt, 6deg	Alloy Ahead 6deg	Alloy Ahead 25deg	3D Forged Alloy	Alloy Ahead	Alloy Ahead	Alloy Ahead 31.8 4-bolt 7deg	Alloy Ahead 31.8mm 4-bolt 7deg	Alloy Ahead 4-bolt Adjustable
Brakes:	Tektro Dual Pivot Long Reach	Tektro Dual Pivot Long Reach	Tektro Dual Pivot Long Reach	N/A	Tektro Dual Pivot	Tektro Oryx Canti	Tektro Alloy Mini V-brake	Tektro Alloy Mini V-brake	Tektro Alloy Mini V-brake
Brake Levers:	Shimano 105	Shimano Tiagra/ Tektro In-Line	Shimano Sora/ Tektro In-Line	N/A	Tektro Road	Tektro Road	Tektro V-brake	Shimano R220	Shimano R220
Tires:	Vittoria Zaffiro 700x25c	Vittoria Zaffiro 700x25c	Vittoria Zaffiro 700x25c	Vittoria Rubino Pro Slick Folding 700x23c	Vittoria Zaffiro 700x23c	Vittoria Randonneur Cross 700x35c w/Reflective Sidewalls	Vittoria Randonneur 700x28c	Vittoria Randonneur 700x28c	Vittoria Randonneur 700x28c
Seat:	Selle San Marco Ischia	Selle San Marco Ischia	Selle San Marco Ischia	Raleigh Road	Raleigh Road	Raleigh Road	Raleigh Saddle	Raleigh Saddle	Raleigh Saddle
Seatpost:	Cadent Carbon Wrap Micro Adjust 31.6mm	Cadent Carbon Wrap Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Raleigh Carbon Wrap Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2 x 300mm	Alloy Micro Adjust 27.2 x 300mm	Alloy Micro Adjust 27.2 x 300mm
Extras:	Water Bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owners Manual	Cateye Reflector Set, Clear Coat, Owners Manual	Cateye Reflector Set, Clear Coat, Owners Manual	SKS Fenders, Rack Mounts, Cateye Reflector set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water Bottle Mounts, Cateye Reflector set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water Bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual
Color(s):	Silver/Carbon	Raleigh Blue/Pearl White	Race Silver/Black	Spike Red	Steel	Black	Silver	Blue	Tail Red

Model:	Passage 6.5	Passage 5.5	Passage 5.0	Passage 4.5	Passage 4.0	Passage 3.5	Passage 3.0	XXIX	XXIX+G
Sizes:	M:15, 17, 19, 21, 23" W:16, 19"	SM, MD, LG	SM, MD, LG, XL						
Frame:	Atomic 13 SL Butted Aluminum w/Zero Stack Head Tube, Disc Compatible Rack Mounts	Atomic 13 SL Butted Aluminum w/Zero Stack Head Tube, Disc Compatible Rack Mounts	Atomic 13 SL Butted Aluminum w/Zero Stack Head Tube, Disc Compatible Rack Mounts	Atomic 13 Aluminum Hybrid w/Replaceable Hanger	Atomic 13 Aluminum Hybrid w/Replaceable Hanger	Atomic 13 Aluminum Hybrid w/Replaceable Hanger	Atomic 13 Aluminum Hybrid w/Replaceable Hanger	29" 4130 Butted CROMO w/CNC Drop- outs, Replaceable Insert & Hanger	29″ 4130 Butted CROMO w/CNC Drop- outs, Replaceable Insert & Hanger
Fork:	Alloy Hybrid w/Disc and Fender Mounts	Alloy Hybrid w/Disc and Fender Mounts	SR NEX-4010, 63mm Travel, w/Preload Adjust	Alloy Hybrid w/Disc and Fender Mounts	SR NEX-4010, 63mm Travel, w/Preload Adjust	OS Steel Threadless 700c	SR NEX-4010, 63mm Travel, w/Preload Adjust	29″ 4130 Cromoly w/Disc Mounts	Rock Shox Reba SL 29″ Air w/Rebound Adjust
Shifter:	Shimano Alivio 8spd	Shimano Alivio 8spd	Shimano EZ-Fire-50 8spd	Shimano EZ-Fire-50 8spd	Shimano EZ-Fire-50 8spd	Shimano Revo 7spd	Shimano Revo 7spd	N/A	Sram SX-5
Front Derailleur:	Shimano C50	N/A	Sram X-7						
Rear Derailleur:	Shimano Deore	Shimano Deore	Shimano Alivio	Shimano Alivio	Shimano Acera	Shimano Altus	Shimano Altus	N/A	Sram X-7
Cranks:	Shimano Nexave 28/38/48t	Shimano TX-71 28/38/48t	Shimano TX-71 28/38/48t	Shimano TX-71 28/38/48t	Shimano TX-71 28/38/48t	SR Suntour XCC208 28/38/48t	SR Suntour XCC208 28/38/48t	Truvativ Fire X SS 32t w/Alloy Guard	Truvativ Fire X 22/32/44t
Bottom Bracket:	Sealed Cartridge	Truvativ External Bearing	Truvativ External Bearing						
Gear:	Shimano HG40 8spd (11-32t)	SRAM PG-850 8spd (11-30t)	SRAM PG-850 8spd (11-30t)	Shimano 8spd MegaRange (11-34t)	Shimano 8spd MegaRange (11-34t)	Shimano 7spd MegaRange (14-34t)	Shimano 7spd MegaRange (14-34t)	20t Cog	SRAM PG-950 9spd (11-34t)
Chain:	KMC Z82	KMC Z51	KMC Z51	KMC	SRAM PC-950				
Hub (F):	Shimano 495 Center Lock Disc Hubs	Alloy Joytech QR Disc 32h	Alloy Joytech QR Disc 32h	Alloy QR 36h	Alloy QR 36h	Alloy QR 36h	Alloy QR 36h	Alloy QR Disc, 32h	Alloy Joytech QR Disc 32h
Hub (R):	Shimano 495 Center Lock Disc Hubs	Alloy Joytech QR Disc 32h Cassette	Alloy Joytech QR Disc 32h Cassette	Shimano RM30 36h Cassette	Shimano RM30 36h Cassette	Alloy QR 36h Freewheel	Alloy QR 36h Freewheel	Alloy QR Single Speed Disc Cassette, 32h	Alloy Joytech QR Disc 32h Cassette
Spokes:	14g Stainless Steel	14g DT Swiss Champion Blk	DT Swiss Champion Blk						
Rims:	Weinmann XTB-26 Double Wall	Weinmann WDR Disc 32h	Weinmann WDR Disc 32h	Weinmann XTB-26 Double Wall	Weinmann XTB-26 Double Wall	Alex R1000 36h	Alex R1000 36h	WTB Speed Disc 29″, 32h	WTB Speed Disc 29″, 32h
Pedals:	Platform Clip and Stap	Comfort Platform	Test Ride	Test Ride					
Headset:	Steel 1-1/8 Integrated	Steel 1-1/8 Integrated	Steel 1-1/8 Integrated	Steel 1-1/8	Steel 1-1/8	Steel 1-1/8	Steel 1-1/8	Ahead 1-1/8	Ahead 1-1/8
Handlebar:	Alloy Riser	Steel Riser	Easton EA50 31.8	Easton EA50 31.8					
Grips:	Avenir Comfort	Raleigh	Raleigh						
Stem:	Alloy Adjustable	Easton EA30 31.8	Easton EA30 31.8						
Brakes:	Shimano 420 V-brakes	Tektro Aquila Ball Bearing Disc	Tektro Aquila Ball Bearing Disc	Tektro Alloy V-brake w/Power Modulator	Avid BB5 Disc 6"Rotors	Avid BB5 Disc 6″ Rotors			
Brake Levers:	Tektro Comfort	Tektro V-brake Comfort	Shimano EZ-Fire-50	Shimano EZ-Fire-50	Shimano EZ-Fire-50	Tektro V-brake	Tektro V-brake	Avid FR-5	Avid FR-5
Tires:	Kenda Cross w/Kshield 700x35c	Kenda Cross w/Kshield 700x35c	Kenda Cross w/Kshield 700x35c	Kenda Cross w/Kshield 700x40c	Kenda Cross w/Kshield 700x40c	Kenda Cross w/Kshield 700x40c	Kenda Cross w/Kshield 700x40c	WTB ExiWolf 29x2.3	WTB ExiWolf 29x2.3
Seat:	Avenir Comfy Road	Avenir Deluxe Comfort	WTB Laser V Comp	WTB Laser V Comp					
Seatpost:	Alloy Bootless Micro Adjust Suspension 27.2 x 300mm	Alloy Micro Adjust Suspension 27.2 x 300mm	Alloy Micro Adjust Suspension 27.2 x 300mm	Easton EA30 27.2mm	Easton EA30 27.2mm				
Extras:	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Cateye Reflector Set, Clear Coat, Owners Manual	Cateye Reflector Set, Clear Coat, Owners Manual
Color(s):	Silver Reflection(M), Bamboo Green(W)	Red(M), Turquoise(W)	Electric Blue(M), Crepe Iris(W)	Pearl Black(M), Pearl White(W)	Hunter Green(M), Bright Teal(W)	Navy Blue(M), Baby Blue(W)	Metallic Gray(M), Orange Spice(M/W), Metallic Rose(W)	Dirty Red	Gloss Black

Model:	Mojave 8.0	Mojave 5.5	Mojave 5.0	Mojave 4.5	Mojave 4.0	Mojave 2.0	Venture 4.0	Venture 3.0	Venture
Sizes:	M:14, 16, 18, 20, 22"	M:14, 16, 18, 20, 22"	M:14, 16, 18, 20, 22"	M:14, 16, 18, 20, 22" W:16"	M:14, 16, 18, 20, 22"	M:12, 14, 16, 18, 20, 22" W: 12, 16, 19"	M:14, 16, 18, 20, 22" W:16, 19"	M:14, 16, 18, 20, 22" W:16, 19"	M:16, 18, 20, 22" W:16, 19"
Frame:	Atomic 13 SL Custom Butted Aluminum, CNC Machined Headtube, Extruded Seatstay Yolk.	Atomic 13 SL Custom Butted Aluminum, CNC Machined Headtube, Extruded Seatstay Yolk.	Atomic 13 SL Custom Butted Aluminum, CNC Machined Headtube, Extruded Seatstay Yolk.	Atomic 13 Aluminum	Atomic 13 Aluminum	Atomic 13 Aluminum w/Replaceable Hanger	Atomic 13 Aluminum, Comfort Geometry w/Internal Cable Guides	Atomic 13 Aluminum, Comfort Geometry w/Internal Cable Guides	Atomic 13 Aluminum Comfort Geometry w/Internal Cable Guides
Fork:	SR Suntour XCR 100mm w/Preload Adjust/Lock-out	SR Suntour XCR 100mm Travel w/Preload Adjust	SR XCM 100mm Travel w/Preload Adjust	SR XCT 75mm Travel w/Preload Adjust	SR XCT 75mm Travel w/Preload Adjust	SR M2000 63mm Travel	SR NEX-4000, 63mm Travel, w/Preload Adjust	SR NEX-4000, 63mm Travel, w/Preload Adjust	OS Steel Threadless
Shifter:	SRAM SX5 9spd	Alivio 8spd	Alivio 8spd	Shimano EZ-Fire-50 8spd	Shimano EZ-Fire-50 8spd	Shimano EZ-Fire-50 7spd	Shimano EZ-Fire-50 8spd	Shimano Revo 7spd	Shimano Revo 7spd
Front Derailleur:	SRAM X-7	Shimano Acera	Shimano Acera	Shimano C50	N/A				
Rear Derailleur:	SRAM X-7	Shimano Deore	Shimano Alivio	Shimano Alivio	Shimano Acera	Shimano Altus	Shimano Acera	Shimano Altus	Shimano TX-30
Cranks:	Truvativ Blaze Power 22/32/44t	Truvativ Iso Flow 22/32/42t	Truvativ Iso Flow 22/32/42t	SR Suntour XCC102 24/34/42t	SR Suntour XCC102 24/34/42t	SR Suntour XCC208 28/38/48t	Shimano TX-71 28/38/48t	SR Suntour XCC208 28/38/48t	Prowheel 40t w/Double Guard
Bottom Bracket:	Truvativ Power Spline	Truvativ Power Spline	Sealed Cartridge	Sealed Cartridge	Sealed Cartridge	Sealed Mech 8pcs	Sealed Cartridge	Sealed Cartridge	Sealed Mech 8pc
Gear:	SRAM PG-950 9spd (11-34t)	Shimano HG40 8spd (11-32t)	Shimano HG40 8spd (11-32t)	Shimano HG40 8spd (11-32t)	Shimano HG40 8spd (11-32t)	Shimano 7spd TZ07 (14-28t)	Shimano 8spd MegaRange (11-34t)	Shimano 7spd MegaRange (14-34t)	Shimano 7spd MegaRange (14-34t)
Chain:	SRAM PC-950	Shimano IG31	Shimano 1G31	Shimano IG31	KMC Z51	KMC Z51	KMC Z82	KMC Z51	KMC Z51
Hub (F):	Alloy Joytech QR Disc 32h	Alloy Joytech QR 32h	Alloy Joytech QR Disc 32h	Alloy Joytech QR 32h	Alloy Joytech QR Disc 32h	36h Alloy Joytech QR	Alloy Joytech QR 36h	Alloy Joytech, QR 36h	Alloy Joytech QR 361
Hub (R):	Alloy Joytech QR Disc 32h Cassette	Shimano RM30 32h Cassette	Alloy Joytech QR Disc 32h Cassette	Shimano RM30 32h Cassette	Alloy Joytech QR Disc 32h Cassette	36h Alloy Joytech QR, Freewheel	Shimano RM30 QR 36h Cassette	Alloy Joytech QR 36h Freewheel	Alloy Joytech QR 361 Freewheel
Spokes:	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel
Rims:	Weinmann WDR Disc 32h	Weinmann XTB 26 DW 32h	Weinmann WDR Disc 32h	Weinmann XTB 26 DW 32h	Weinmann XTB 26 DW 32h	Alex R1000 36h	Weinmann XTB-26 Double Wall	Alloy 36h	Alloy 36h
Pedals:	Resin Platform	Resin Platform	Resin Platform	Resin Platform	Resin Platform	Resin Platform	Comfort Platform	Comfort Platform	Resin Platform
Headset:	Ahead 1-1/8	Ahead 1-1/8	Ahead 1-1/8	Ahead 1-1/8	WTB Ahead 1-1/8	Ahead 1-1/8	Steel 1-1/8	Steel 1-1/8	Sealed threaded 1-1/
Handlebar:	Mtn Tapered Alloy 30mm Riser	Mtn Tapered Alloy 30mm Riser	Mtn Tapered Steel 30mm Riser	Mtn Tapered Steel 30mm Riser	Mtn Tapered Steel 30mm Riser	Mtn Steel 25mm Riser	Comfort Riser	Comfort Riser	Comfort Riser
Grips:	Raleigh	Raleigh	Raleigh	Raleigh	Raleigh	Avenir Mtn PVC	Avenir Comfort	Avenir Comfort	Avenir
Stem:	Alloy Ahead 4-bolt 10deg	Alloy Ahead 4-bolt 10deg	Alloy Ahead 4-bolt 10deg	Alloy Ahead 4-bolt 20deg	Alloy Ahead 4-bolt 20deg	Alloy Ahead 4-bolt 20deg Rise	Alloy Adjustable	Alloy Adjustable	Alloy Adjustable
Brakes:	Avid BB5 Disc 6"Rotors	Tektro Alloy V-brake	Tektro Aquila Cable/ BB w/Wavy Rotor	Tektro Alloy V-brake	Tektro IO Disc w/Wavy Rotor	Tektro Alloy V-brake	Tektro Alloy V-brake w/Power Modulator	Tektro Alloy V-brake w/Power Modulator	Alloy V-brake
Brake Levers:	Avid FR-5	Tektro V-brake	Tektro	Shimano EZ-Fire-50	Shimano EZ-Fire-50	Shimano EZ-Fire-50	Shimano EZ-Fire-50	Tektro V-brake	Alloy 4-finger
Tires:	Geax Mezcal 26x2.1	Geax Mezcal 26x2.1	Geax Mezcal 26x2.1	Kenda K879 26x1.95	Kenda K879 26x1.95	Kenda K879 26x1.95	Kenda Comfort w/Kshield 26x1.95	Kenda Comfort w/Kshield 26x1.95	Kenda K841A 26x1.95
Seat:	WTB Speed V Sport	WTB Speed V Comp	WTB Speed V Comp	Raleigh Mountain	Raleigh Mountain	Raleigh Mountain	Avenir Deluxe Comfort	Avenir Deluxe Comfort	Avenir Deluxe Comfort
Seatpost:	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust Bootless Suspension 27.2x300mm	Alloy Micro Adjust Suspension 27.2 x 300mm	Alloy Micro Adjust Suspension 27.2 x 300mm
Extras:	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottle Mounts, Cateye Re- flector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Water bottl Mounts, Cateye Reflector Set, Clear Coat, Owners Manua
Color(s):	Snap Blue, Black	Gray Medium	Clockwork Orange	Metallic Green, Light Pink(W)	Blue	Trans Black, Orange, Vivid Violet(W), BlueLake(W)	Linear Pearl Black(M), Linear Oxford Blue(M/W), Linear Faded Rose(W)	Linear Silver(M), Linear Red(M/W), Linear Metallic Green(W)	Linear Blue(M), Linear White(M/W), Linear Teal (W)

Model:	Companion	Retroglide NX3	Retroglide 7	Retroglide 1	Special	P.U.B.	Mtn Scout	Rowdy	Retro 20
Sizes:	16.5/19″	M:18, W:18 "	M:18, W:17″	M:18, W:17″	M:18, W:17″	M: 17 "	24" Boys/Girls	20" Boys/Girls	20" Girls
Frame:	Steel/Chromoly Comfort Tandem	Atomic 13 Aluminum Cruiser	Atomic 13 Aluminum Cruiser	Atomic 13 Aluminum Cruiser	Steel Cruiser	Atomic 13 Aluminum Cruiser	Aluminum OS Action Curve ATB	Aluminum OS Action Curve ATB w/Replaceable Hanger	20″ Girls HiTen Steel Cruiser
Fork:	Chromoly 1-1/8	Steel Springer	Steel Cruiser	Steel Cruiser	Steel Cruiser	Steel Springer	SR Suntour M2000, 50mm Travel	SR Suntour M2000, 30mm travel	20″ HiTen Steel Cruiser
Shifter:	SRAM SX4 8spd	Shimano 3spd	Shimano Revo 7spd	N/A	N/A	N/A	Shimano Revo 7spd	Shimano Revo 6spd	N/A
Front Derailleur:	Shimano T401	N/A	N/A	N/A	N/A	N/A	Shimano TY-32		N/A
Rear Derailleur:	SRAM SX-5	N/A	Shimano TX-30	N/A	N/A	N/A	Shimano TX-30	Shimano TX-30	N/A
Cranks:	Truvativ 5D Tandem 28/38/48t	1pc 46t Raleigh Heron	1pc 46t Raleigh Heron	1pc 46t Raleigh Heron	1pc 46t Raleigh Heron	3pc Alloy 46t Raleigh Heron	SR Suntour XCC100 28/38/48t	Steel 5-1/2" w/40t Chainring & Double Guard	5-1/2″ Opc, 36t
Bottom Bracket:	Sealed Cartridge	8pc Loose Ball	8pc Loose Ball	8pc Loose Ball	8pc Loose Ball	8pc Loose Ball	Sealed Mech Loose Ball	8pc Loose Ball	8pc Loose Ball
Gear:	SRAM PG-830 8spd (11-34t)	22t Cog	Shimano MF-HG37 (14-28t) 7spd	20t Cog	20t Cog	20t Cog	Shimano TZO7 7spd (14-28t)	Shimano TZO6 6spd (14-28t)	18t Cog
Chain:	KMC	KMC Z510	Shimano IG31	KMC Z510	KMC Z510	KMC Z510	KMC Z51	KMC Z51	KMC Z410
Hub (F):	Alloy QR 36h	Alloy Joytech, 36h	Alloy Joytech, 36h	Alloy Joytech, 36h	Alloy Joytech, 36h	Alloy Joytech 36h	Alloy QR 36h	Alloy 36h Nutted	Steel 36h Nutted
Hub (R):	Shimano RM30 36h Cassette	Shimano Internal 3spd	Alloy Joytech 36h Freewheel	Shimano Coaster, 36h	Shimano Coaster, 36h	Alloy Joytech Coaster 36h	Alloy 36h Nutted, Freewheel	Alloy 36h Nutted, Freewheel	Steel 36h Nutted Coaster
Spokes:	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel
Rims:	Alex DM21 36h	Alex Zuma 36h	Alex R1000 36h	Alex Zuma 36h	Alex Zuma 36h	Alex Zuma 36h	Alloy 36h Black	Alloy 36h Black	Alloy 36h
Pedals:	Comfort Platform	Cruiser Platform	Cruiser Platform	Cruiser Platform	Cruiser Platform	Alloy Platform	Resin Platform	Resin Platform	Jr. Resin Platform
Headset:	Steel 1-1/8	Steel 1-1/8	Steel 1-1/8	Steel 1-1/8	Steel 1-1/8	Steel 1-1/8	Threaded 1-1/8	Threaded 1-1/8	1″ Threaded
Handlebar:	Steel Riser	Steel Cruiser 700x80mm	Steel Cruiser 700x80mm	Steel Cruiser 700x80mm	Steel Cruiser 700x80mm	Steel Cruiser 700x80mm	Steel Riser	Jr Riser 580x30mm	Steel Cruiser Style
Grips:	Avenir Comfort	Cruiser	Cruiser	Cruiser	Cruiser	Cruiser	Avenir Soft PVC	Aviner Soft PVC	Jr Soft PVC
Stem:	Steel/Alloy	Alloy Cruiser 2-bolt Clamp	Alloy Cruiser 2-bolt Clamp	Alloy Cruiser 2-bolt Clamp	Alloy Cruiser 2-bolt Clamp	Alloy Cruiser 2-bolt Clamp	Alloy 4 Bolt Quill	Alloy 4 Bolt Quill	Alloy 2-bolt Quill
Brakes:	Tektro Alloy V-brake	Coaster Brake	Tektro V 120mm	Coaster Brake	Coaster Brake	Coaster Brake	Tektro Alloy V-brake	Tektro Alloy V-brake	Coaster Brake
Brake Levers:	Tektro V-brake	N/A	Tektro V-brake	N/A	N/A	N/A	Tektro Jr. V-brake	Tektro Jr. V-brake	N/A
Tires:	Kenda Comfort w/Kshield 26x1.95	Kenda Cruiser Whitewall 26x2.125	Kenda Cruiser Whitewall 26x2.125	Kenda Cruiser Whitewall 26x2.125	Kenda Cruiser 26x2.125	Kenda Cruiser 26x2.25	MTB 24"	MTB 20"	Cruiser Whitewall 20x2.125
Seat:	Avenir Deluxe Comfort	Raleigh Cruiser Deluxe	Raleigh Cruiser Deluxe	Raleigh Cruiser Deluxe	Raleigh Cruiser	Raleigh Cruiser Deluxe	Raleigh Jr. Mtn	Raleigh Jr. Mtn	Jr. Cruiser w/Steel Springs
Seatpost:	Alloy Micro Adjust Alloy Suspension	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust	Alloy Micro Adjust 27.2mm	Alloy Pillar 27.2 x300	Steel Pillar 27.2x300mm	Steel Pillar 25.6
Extras:	Rack & Fender Mounts, Water Bottle Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Rack & Fender Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Fender Mounts, Cateye Reflector Set, Clear Coat, Owners Manual	Cateye Reflectors Set, Chainguard, Clear Coat, Owners Manual	Cateye Reflectors Set, Chainguard, Clear Coat, Owners Manual	Custom Matched Fenders & Chainguard, Cateye Reflector Set, Clear Coat, Owners Manual, Bell
Color(s):	Linear Red	Gold/Cream(M/W)	Blue/Slver(M), Green/White(M), Cherry Red/Pearl White(W), Primerose Blue/White(W)	Pearl Black/White(M), Yellow/White(M), Amethyst/White(W), Pearl Turquoise/Pearl White(W)	Gloss Black(M), Light Pink(W)	Stout	Dark Metal, Blue Skies	Red, Marionberry	Aqua

Model:	Retro 16	Jazzi	MXR	Lil Honey	MXR Mini	MXR Micro	Cupcake
Sizes:	16" Girls	20" Girls	20" Boys	16" Girls	16" Boys	12" Boys	12" Girls
Frame:	16" Girls HiTen Steel Cruiser	Action Curve BMX style	Action Curve BMX style	16″ OS Action Curve BMX HiTen Steel	16″ OS Action Curve BMX HiTen Steel	12" Action Curve BMX HiTen Steel	12″ Action Curve BMX HiTen Steel
Fork:	16″ HiTen Steel Cruiser	1" Steel Threaded	1″ Steel Threaded	16″ BMX Style HiTen	16″ BMX Style HiTen	12″ BMX-Style HiTen	12″ BMX-Style HiTen
Shifter:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Front Derailleur:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Rear Derailleur:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cranks:	4-1/2″ 1pc, 36t	Steel One Piece 5" 40t Ring	Steel One Piece 5" 40t Ring	4-1/2" Opc, 36t	4-1/2″ Opc, 36t	3-1/2″ Opc Steel, 28t	3-1/2″ Opc Steel, 28t
Bottom Bracket:	8pc Loose Ball	8pc Loose Ball	8pc Loose Ball	8pc Loose Ball	8pc Loose Ball	8pc Loose Ball	8pc Loose Ball
Gear:	18t Cog	18t Cog	18t Cog	18t Cog	18t Cog	18t Cog	18t Cog
Chain:	KMC Z410	KMC Z410	KMC Z410	KMC Z410	KMC Z410	KMC Z410	KMC Z410
Hub (F):	Steel 28h Nutted	Nutted 36h	Nutted 36h	Steel 28h Nutted	Steel 28h Nutted	Steel 16h Nutted	Steel 16h Nutted
Hub (R):	Steel 28h Nutted Coaster	Nutted 36h Coaster	Nutted 36h Coaster	Steel 28h Nutted Coaster	Steel 28h Nutted Coaster	Steel 16h Nutted Coaster	Steel 16h Nutted Coaster
Spokes:	14g Stainless Steel	14g	14g	14g	14g	14g	14g
Rims:	Alloy 28h	Alloy 36h Black	Alloy 36h Black	Alloy 28h	Alloy 28h	Alloy, 16h	Alloy, 16h
Pedals:	Jr Resin Platform	Jr Resin Platform	Jr Resin Platform	Jr Resin Platform	Jr Resin Platform	Jr Resin Platform	Jr Resin Platform
Headset:	1" Threaded	1" Threaded	1" Threaded	1" Threaded	1" Threaded	1" Threaded	1" Threaded
Handlebar:	Steel Cruiser Style	Steel BMX Style	Steel BMX Style	Steel BMX Style	Steel BMX Style	Steel BMX Style	Steel BMX Style
Grips:	Jr Soft PVC	Soft PVC	Soft PVC	Jr Soft PVC	Jr Soft PVC	Jr Soft PVC	Jr Soft PVC
Stem:	Alloy 2-bolt Quill	4-bolt Alloy/Steel Quill	4-bolt Alloy/Steel Quill	4-bolt Alloy/Steel Quill	4-bolt Alloy/Steel Quill	Steel 2-bolt	Steel 2-bolt
Brakes:	Coaster Brake	Alloy V-brake	Alloy V-brake	Coaster Brake	Coaster Brake	Coaster Brake	Coaster Brake
Brake Levers:	N/A	Alloy Adjustable Lever	Alloy Adjustable Lever	N/A	N/A	N/A	N/A
Tires:	Cruiser Whitewall 16x2.125	Street Style 20x2.125	Comp III Style 20x2.125	Street Style 16x2.125	Comp III Style 16x2.125	Comp III Style 12x2.125	Comp III Style 12x2.125
Seat:	Jr. Cruiser w/Steel Springs	Jr. BMX Padded	Jr. BMX Padded	Jr. BMX Padded	Jr. BMX Padded	Jr. BMX Padded	Jr. BMX Padded
Seatpost:	Steel Pillar 25.6	Steel Pillar 25.4x300mm	Steel Pillar 25.4x300mm	Steel Pillar 25.4	Steel Pillar 25.4	Steel Pillar 25.4	Steel Pillar 25.4
Extras:	Training Wheels w/ Steel Bushing, Custom Matched Fenders and Chainguard, Cateye Reflector Set, Clear Coat, Owner's Manual, Bell	Logo Pad Set, Painted Chainguard, Streamer and Handbag, Cateye Reflector Set, Clear Coat, Owners Manual, Bell	Logo Pad Set, Painted Chainguard, Fenders, Cateye Reflector Set, Clear Coat, Owners Manual	Heavy Duty Training Wheels, Logo Pad Set, Painted Chainguard, Streamer and Hand- bag, Cateye Reflector Set, Clear Coat, Own- ers Manual, Bell	Heavy Duty Training Wheels, Logo Pad Set, Painted Chainguard, Fenders, Cateye Reflector Set, Clear Coat, Owners Manual	Heavy Duty Training Wheels, Logo Pad Set, Painted Chainguard, Fenders, Cateye Reflec- tor Set, Clear Coat, Owners Manual	Heavy Duty Training Wheels, Logo Pad Set, Painted Chainguard, Streamer and Hand- bag, Cateye Reflector Set, Clear Coat, Own- ers Manual, Bell
Color(s):	Pink	Perri Blue, Pink	Blue, Chrome	Honey, Purple Joy	Orange, Chrome	Blue	Sparkle Pink

	Team, Pr	estige, Co	mpetition,	Supercour	rse		Grand Pr	ix				
Size	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large	62cm XLarge	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large	62cm XLarge
Seat Tube Length**	500mm	530mm	550mm	570mm	590mm	620mm	500mm	530mm	550mm	570mm	590mm	620mm
Standover Height	747mm	770mm	787mm	806mm	823mm	845mm	747mm	770mm	787mm	806mm	823mm	845mm
Top Tube Length*	525mm	540mm	550mm	570mm	580mm	600mm	520mm	535mm	550mm	570mm	580mm	600mm
Head Tube Length	115mm	135mm	150mm	170mm	185mm	200mm	120mm	140mm	145mm	165mm	185mm	205mm
Head Angle	73°	73°	73.5°	73.5°	73.5°	74°	72°	72.5°	73°	73.5°	73.5°	73.5°
Seat Angle	74°	73.5°	73°	73°	73°	72.5°	75.5°	74.5°	73°	73°	73°	73°
Wheel Base	967mm	973mm	974mm	994mm	1002mm	1017mm	986mm	989mm	981mm	996mm	1011mm	1030mm
Chain Stay Length	408mm	408mm	408mm	408mm	408mm	408mm	410mm	415mm	415mm	415mm	415mm	415mm
Fork Offset	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm
BB drop	68mm	68mm	68mm	68mm	68mm	68mm	68mm	68mm	68mm	68mm	68mm	68mm
Stem Length	90mm	100mm	100mm	110mm	120mm	120mm	90mm	100mm	100mm	110mm	120mm	120mm
Handlebar Width	400mm	400mm	420mm	420mm	440mm	440mm	400mm	400mm	420mm	420mm	440mm	440mm
Crank Length	170mm	170mm	172.5mm	172.5mm	175mm	175mm	170mm	170mm	172.5mm	172.5mm	175mm	175mm
Seat Post Length	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm

	Grand Sp	oort					Sport						Intrigue	2.0,1.0			
Size	47cm XXSmall	50cm XSmall	53cm Small	56cm Medium	59cm Large	62cm XLarge	47cm XXSmall	50cm XSmall	53cm Small	56cm Medium	59cm Large	62cm Xlarge	44cm (650c)	47cm	50cm	53cm	56cm
Seat Tube Length**	470mm	500mm	530mm	560mm	590mm	620mm	470mm	500mm	530mm	560mm	590mm	620mm	440mm	470mm	500mm	530mm	560mm
Standover Height	729mm	750mm	776mm	797mm	828mm	850mm	729mm	750mm	776mm	797mm	828mm	850mm	675mm	728mm	748mm	767mm	787mm
Top Tube Length*	500mm	520mm	535mm	560mm	580mm	600mm	500mm	520mm	535mm	560mm	580mm	600mm	480mm	500mm	510mm	525mm	550mm
Head Tube Length	110mm	120mm	140mm	155mm	185mm	205mm	110mm	120mm	140mm	155mm	185mm	205mm	100mm	120mm	130mm	140mm	150m
Head Angle	70.5°	72°	72.5°	73.5°	73.5°	73.5°	70.5°	72°	72.5°	73.5°	73.5°	73.5°	71.5°	71°	71.5°	72°	72.5°
Seat Angle	76°	75.5°	74.5°	73°	73°	73°	76°	75.5°	74.5°	73°	73°	73°	76°	76°	75.5°	74.5°	74°
Wheel Base	982mm	986mm	983mm	990mm	1010mm	1030mm	982mm	986mm	983mm	990mm	1010mm	1030mm	922mm	977mm	979mm	981mm	998mm
Chain Stay Length	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	380mm	410mm	410mm	410mm	410mm
Fork Offset	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	42mm	50mm	50mm	50mm	50mm
BB drop	69mm	69mm	69mm	69mm	69mm	69mm	69mm	69mm	69mm	69mm	69mm	69mm	50mm	72mm	72mm	72mm	72mm
Stem Length	80mm	80mm	90mm	90mm	100mm	100mm	105mm	105mm	105mm	120mm	120mm	120mm	60mm	60mm	70mm	80mm	90mm
Handlebar Width	380mm	400mm	400mm	420mm	420mm	440mm	380mm	400mm	400mm	420mm	420mm	440mm	380mm	380mm	400mm	400mm	420mm
Crank Length	165mm	170mm	170mm	175mm	175mm	175mm	165mm	170mm	170mm	175mm	175mm	175mm	165mm	165mm	170mm	170mm	175mm
Seat Post Length	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	350mm	350mm	350mm	350mm	350mm

	1					ı					1					
	Rx1.0					Cadent C	arbon				Cadent 2	.0,1.0				
Size	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large	49cm Small	52cm SM/MD	54cm MD/LG	56cm Large	59cm Xlarge	45cm XSmall	49cm Small	52cm SM/MD	54cm MD/LG	56cm Large	59cm Xlarge
Seat Tube Length**	490mm	500mm	530mm	550mm	570mm	450mm	480mm	510mm	540mm	570mm	420mm	450mm	480mm	510mm	540mm	570mm
Standover Height	769mm	780mm	798mm	815mm	835mm	723mm	745mm	775mm	809mm	829mm	697mm	723mm	745mm	775mm	809mm	829mm
Top Tube Length*	520mm	530mm	540mm	560mm	580mm	510mm	525mm	545mm	565mm	590mm	495mm	510mm	525mm	545mm	565mm	590mm
Head Tube Length	110mm	120mm	130mm	150mm	170mm	125mm	145mm	175mm	215mm	225mm	110mm	125mm	145mm	175mm	215mm	225mm
Head Angle	71.5°	71.5°	72°	72°	72°	72°	72°	72°	72.5°	73°	70.5°	72°	72°	72°	72.5°	73°
Seat Angle	75.5°	74.5°	73.5°	73°	73°	75.5°	74°	73.5°	73°	72.5°	76°	75.5°	74°	73.5°	73°	72.5°
Wheel Base	1007mm	1009mm	1005mm	1020mm	1040mm	977mm	979mm	998mm	1011mm	1028mm	977mm	977mm	979mm	998mm	1011mm	1028mm
Chain Stay Length	425mm	425mm	425mm	425mm	425mm	412mm	412mm	415mm	418mm	420mm	412mm	412mm	412mm	415mm	418mm	420mm
Fork Offset	45mm	45mm	45mm	45mm	45mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm
BB drop	55mm	55mm	55mm	55mm	55mm	72mm	72mm	72mm	72mm	72mm	72mm	72mm	72mm	72mm	72mm	72mm
Stem Length	90mm	90mm	105mm	105mm	105mm	60mm	75mm	75mm	90mm	105mm	60mm	60mm	70mm	80mm	90mm	100mm
Handlebar Width	400mm	400mm	420mm	420mm	440mm	400mm	400mm	420mm	420mm	440mm	380mm	380mm	400mm	420mm	420mm	440mm
Crank Length	165mm	170mm	170mm	172.5mm	175mm	170mm	170mm	172.5mm	172.5mm	175mm	165mm	170mm	170mm	172.5mm	172.5mm	175mm
Seat Post Length	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm

	Rush Ho	ır Pro				Rush Hou	ır				One Way					Route 66	;
Size	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large	50 cm	53cm	55cm	57cm	59cm	45cm XSmall	49cm Small
Seat Tube Length**	500mm	530mm	550mm	570mm	590mm	500mm	530mm	550mm	570mm	590mm	490mm	500mm	530mm	550mm	570mm	420mm	450mm
Standover Height	748mm	776mm	796mm	810mm	830mm	752mm	780mm	799mm	817mm	873mm	769mm	780mm	798mm	815mm	835mm	697mm	723mm
Top Tube Length*	525mm	535mm	550mm	560mm	580mm	525mm	535mm	550mm	560mm	580mm	520mm	530mm	540mm	560mm	580mm	495mm	510mm
Head Tube Length	90mm	120mm	140mm	155mm	175mm	80mm	110mm	127mm	145mm	163mm	110mm	120mm	130mm	150mm	170mm	110mm	125mm
Head Angle	74°	74°	74°	74.5°	75°	74	74	74	74.5	75	71.5	71.5	72	72	72	70.5	72
Seat Angle	75°	75°	74.5°	74°	74°	75	75	74.5	74	74	75.5	74.5	73.5	73	73	76	75.5
Wheel Base	960mm	970mm	981mm	981mm	996mm	960mm	970mm	975mm	976mm	991mm	1027mm	1029mm	1025mm	1040mm	1060mm	977mm	977mm
Chain Stay Length	400mm	400mm	400mm	400mm	400mm	400mm	400mm	400mm	400mm	400mm	425mm	425mm	425mm	425mm	425mm	420mm	420mm
Fork Offset	40mm	40mm	40mm	40mm	40mm	45mm	45mm	45mm	40mm	40mm	65mm	65mm	65mm	65mm	65mm	50mm	50mm
BB drop	45mm	45mm	45mm	45mm	40mm	58mm	58mm	58mm	58mm	58mm	55mm	55mm	55mm	55mm	55mm	72mm	72mm
Stem Length	65mm	80mm	90mm	100mm	110mm	70mm	80mm	90mm	100mm	110mm	90mm	90mm	100mm	110mm	110mm	60mm	60mm
Handlebar Width	420mm	420mm	420mm	420mm	420mm	390mm	390mm	410mm	410mm	430mm	400mm	400mm	420mm	420mm	440mm	380mm	380mm
Crank Length	165mm	165mm	170mm	170mm	172.5mm	165mm	170mm	172.5mm	172.5mm	175mm	165mm	170mm	170mm	172.5mm	175mm	165mm	170mm
Seat Post Length	350mm	350mm	350mm	350mm	350mm	270mm	270mm	270mm	270mm	270mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm

	Route 66	(cont.)			Route 1,2	4					Passage	6.5,5.5,4.	5,3.5				
Size	52cm SM/MD	54cm MD/LG	56cm Large	59cm Xlarge	45cm XSmall	49cm Small	52cm SM/MD	54cm MD/LG	56cm Large	59cm Xlarge	15" XSmall	17" Small	19" Medium	21" Large	23" XLarge	W16" Medium	W19" Large
Seat Tube Length**	480mm	510mm	540mm	570mm	420mm	450mm	480mm	510mm	540mm	570mm	362mm	392mm	442mm	497mm	547mm	362mm	442mm
Standover Height	745mm	775mm	809mm	829mm	697mm	723mm	745mm	775mm	809mm	829mm	705mm	725mm	764mm	797mm	820mm	475mm	475mm
Top Tube Length*	525mm	545mm	565mm	590mm	495mm	510mm	525mm	545mm	565mm	590mm	552mm	552mm	571mm	585mm	594mm	537mm	549mm
Head Tube Length	145mm	175mm	195mm	200mm	110mm	125mm	145mm	175mm	195mm	200mm	110mm	110mm	110mm	160mm	160mm	110mm	160mm
Head Angle	72	72	72.5	73	70.5	72	72	72	72.5	73	70	70	71	71	71	70	70
Seat Angle	74	73.5	73	72.5	76	75.5	74	73.5	73	72.5	74	74	73	73	73	74	74
Wheel Base	979mm	998mm	1011mm	1028mm	977mm	977mm	979mm	998mm	1011mm	1028mm	1067mm	1067mm	1077mm	1092mm	1101mm	1054mm	1071mm
Chain Stay Length	420mm	420mm	420mm	420mm	420mm	420mm	420mm	420mm	420mm	420mm	450mm	450mm	450mm	450mm	450mm	450mm	450mm
Fork Offset	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm
BB drop	72mm	72mm	72mm	72mm	72mm	72mm	72mm	72mm	72mm	72mm	65mm	65mm	65mm	65mm	65mm	65mm	65mm
Stem Length	70mm	80mm	90mm	100mm	80mm	80mm	80mm	80mm	100mm	100mm	90mm	90mm	90mm	110 mm	110 mm	90mm	110 mm
Handlebar Width	400mm	420mm	420mm	440mm	380mm	380mm	400mm	420mm	420mm	440mm	630mm	630mm	630mm	630mm	630mm	630mm	630mm
Crank Length	170mm	172.5mm	172.5mm	175mm	165mm	170mm	170mm	172.5mm	172.5mm	175mm	170mm	170 mm	170mm	170mm	170mm	170mm	170mm
Seat Post Length	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm

	Passage	5.0,4.0,3.0)					xxix, xx	(IX+G			Mojave 8	.0			
Size	15" XSmall	17" Small	19" Medium	21" Large	23" XLarge	W16" Medium	W19" Large	SM	MD	LG	XL	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge
Seat Tube Length**	362mm	392mm	442mm	497mm	547mm	362mm	442mm	380mm	420mm	470mm	520mm	355mm	406mm	457mm	508mm	558mm
Standover Height	703	736mm	770mm	807mm	830mm	483mm	483mm	743mm	767mm	794mm	818mm	732mm	760mm	775mm	807mm	836mm
Top Tube Length*	552mm	552mm	571mm	585mm	594mm	537mm	549mm	580mm	600mm	620mm	640mm	545mm	571mm	597mm	622mm	640mm
Head Tube Length	110mm	110mm	110mm	160mm	160mm	110mm	160mm	90mm	100mm	110mm	115mm	120mm	120mm	130mm	150mm	160mm
Head Angle	70°	70°	71°	71°	71°	70°	70°	71°	71°	71°	71°	71°	71°	71°	71°	71°
Seat Angle	74°	74°	73°	73°	73°	74°	74°	73°	73°	73°	73°	73°	73°	73°	73°	73°
Wheel Base	1056mm	1056mm	1056mm	1072mm	1072mm	1041mm	1056mm	1066mm	1086mm	1106mm	1127mm	1018mm	1044mm	1070mm	1096mm	1115mm
Chain Stay Length	450mm	450mm	450mm	450mm	450mm	450mm	450mm	440mm	440mm	440mm	440mm	425mm	425mm	425mm	425mm	425mm
Fork Offset	38mm	38mm	38mm	38mm	38mm	38mm	38mm	45mm	45mm	45mm	40mm	38mm	38mm	38mm	38mm	38mm
BB drop	65mm	65mm	65mm	65mm	65mm	65mm	65mm	55mm	55mm	55mm	55mm	32mm	32mm	32mm	32mm	32mm
Stem Length	90mm	90mm	90mm	110mm	110mm	90mm	110mm	90mm	105mm	105mm	105mm	90mm	90mm	110mm	110mm	110mm
Handlebar Width	630mm	630mm	630mm	630mm	630mm	630mm	630mm	635mm	635mm	635mm	635mm	620mm	620mm	620mm	620mm	620mm
Crank Length	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	175mm	175mm	175mm	170mm	170mm	175mm	175mm	175mm
Seat Post Length	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm

^{*} Measured Horizontally, ** Measured from Center

	Mojave 5.5,5.0							Mojave 4.5,4.0								
Size	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge	W16" Medium	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge	W16" Medium				
Seat Tube Length**	355mm	406mm	457mm	508mm	558mm	406mm	355mm	406mm	457mm	508mm	558mm	406mm				
Standover Height	727mm	750mm	769mm	803mm	849mm	644mm	727mm	750mm	769mm	803mm	849mm	644mm				
Top Tube Length*	532mm	557mm	585mm	605mm	618mm	544mm	532mm	557mm	585mm	605mm	618mm	544mm				
Head Tube Length	110mm	110mm	110mm	130mm	180mm	110mm	110mm	110mm	110mm	130mm	180mm	110mm				
Head Angle	70°	70°	71°	71°	71°	70°	70°	70°	71°	71°	71°	70°				
Seat Angle	74°	74°	73°	73°	72°	74°	74°	74°	73°	73°	72°	74°				
Wheel Base	1028mm	1053	1060mm	1082	1085mm	1038mm	1028mm	1053	1060mm	1082	1085mm	1038mm				
Chain Stay Length	425mm	425mm	425mm	425mm	425mm	425mm	425mm	425mm	425mm	425mm	425mm	425mm				
Fork Offset	40mm	40mm	40mm	40mm	40mm	40mm	40mm	40mm	40mm	40mm	40mm	40mm				
BB drop	32mm	32mm	32mm	32mm	32mm	32mm	32mm	32mm	32mm	32mm	32mm	32mm				
Stem Length	80mm	80mm	100mm	100mm	100mm	80mm	80mm	80mm	100mm	100mm	100mm	80mm				
Handlebar Width	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm				
Crank Length	170mm	170mm	170mm	170mm	170mm	170 mm	170mm	170mm	170mm	170 mm	170mm	170mm				
Seat Post Length	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm				

	Mojave 2.	0								Venture 4	1.0,3.0					
Size	12" XXSmall	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge	W12" Small	W16" Medium	W19" Large	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge	W16" Medium	W19" Large
Seat Tube Length**	305mm	355mm	406mm	457mm	508mm	560mm	305mm	406mm	482mm	332mm	382mm	422mm	472mm	522mm	370mm	442mm
Standover Height	679mm	706mm	731mm	766mm	794mm	849mm	627mm	644mm	692mm	690mm	730mm	750mm	790mm	830mm	480mm	480mm
Top Tube Length*	527mm	534mm	553mm	564mm	578mm	590mm	527mm	542mm	553mm	541mm	560mm	565mm	575mm	585mm	538mm	545mm
Head Tube Length	110mm	110mm	110mm	110mm	140mm	160mm	110mm	110mm	140mm	140mm	150mm	160mm	190mm	220mm	140mm	160mm
Head Angle	70°	70°	70°	71°	71°	71°	70°	70°	71°	70°	70°	70°	71°	71°	70°	70°
Seat Angle	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	74°	74°
Wheel Base	1016mm	1023mm	1032mm	1043mm	1058mm	1071mm	1016mm	1032mm	1035mm	1022mm	1053mm	106mm	1059mm	1071mm	1040mm	1046mm
Chain Stay Length	430mm	430mm	430mm	430mm	430mm	430mm	430mm	430mm	430mm	438mm	438mm	438mm	438mm	438mm	438mm	438mm
Fork Offset	38mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm
BB drop	32mm	32mm	32mm	32mm	32mm	32mm	32mm	32mm	32mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm
Stem Length	80mm	80mm	80mm	100mm	100mm	100mm	80mm	80mm	100mm	90mm	90mm	90mm	110 mm	110mm	90mm	110mm
Handlebar Width	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	630mm	630mm	630mm	630mm	630mm	630mm	630mm
Crank Length	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm
Seat Post Length	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm

	Venture						Companie	on	Retroglide NX3		Retroglide 1,7		Special	
Size	16" Small	18" Medium	20" Large	22" XLarge	W16" Medium	W19" Large	16.5/19.5"		Mens	Womens	Mens	Womens	Mens	Womens
Seat Tube Length**	382mm	422mm	472mm	522mm	370mm	442mm	419mm	493mm	475mm	405mm	475mm	405mm	475mm	405mm
Standover Height	730mm	750mm	790mm	830mm	480mm	480mm	574mm	735mm	775mm	597mm	775mm	597mm	775mm	597mm
Top Tube Length*	560mm	565mm	575mm	585mm	538mm	545mm	685mm	595mm	625mm	600mm	625mm	600mm	625mm	600mm
Head Tube Length	150mm	160mm	190mm	220mm	140mm	160mm	140mm		150mm	150mm	150mm	150mm	150mm	150mm
Head Angle	70°	70°	71°	71°	70°	70°	70°		67.5°	67.5°	67.5°	67.5°	67.5°	67.5°
Seat Angle	73°	73°	73°	73°	74°	74°	72.5°	72.5°	69°	69°	69°	69°	69°	69°
Wheel Base	1053mm	106mm	1059mm	1071mm	1040mm	1046mm	1771mm		1162mm	1137mm	1142mm	1117mm	1142mm	1117mm
Chain Stay Length	438mm	438mm	438mm	438mm	438mm	438mm	435mm		520mm	520mm	485mm	485mm	485mm	485mm
Fork Offset	38mm	38mm	38mm	38mm	38mm	38mm	45mm		58mm	58mm	39mm	39mm	39mm	39mm
BB drop	45mm	45mm	45mm	45mm	45mm	45mm	40mm		45mm	45mm	296mm	296mm	296mm	296mm
Stem Length	90mm	90mm	110mm	110mm	90mm	110mm	135-170mm	105	100mm	80mm	100mm	80mm	100mm	80mm
Handlebar Width	630mm	630mm	630mm	630mm	630mm	630mm	630mm	630mm	700mm	700mm	700mm	700mm	700mm	700mm
Crank Length	170mm	170mm	170mm	170mm	170mm	170mm	170mm	175mm	175mm	175 mm	175mm	175mm	175mm	175mm
Seat Post Length	350mm	350mm	350mm	350mm	350mm	350mm	300mm	300mm	350mm	350mm	350mm	350mm	350mm	350mm

^{*} Measured Horizontally, ** Measured from Center

Raleigh America is proud to be a member of Bikes Belong, a national coalition of bicycle suppliers and retailers working together to put more people on bicycles more often. Through national leadership, grassroots support, and promotion, we work to make bicycling safe.

We're working together to guarantee that future generations continue to enjoy the many benefits of cycling.





RALEIGH bicycles are distributed by Raleigh America, Inc. Raleigh America, Inc., Bicycle Limited Warranty

It is the owner's responsibility to thoroughly read and understand the owner's manual and regularly examine the product to determine the need for professional, authorized service or replacement. Please consult an authorized Raleigh America, Inc., bicycle dealership with any questions on use and maintenance. Regardless of the length of the warranty, Raleigh America, Inc., does not infer that the bicycle will last forever or cannot be broken. All Raleigh framesets and bicycles have a finite, limited useful product life cycle. The length of this useful life cycle will vary by environment, riding conditions, frame material and construction, riding style, maintenance, and the amount as well as type of use the bicycle or frame is subjected to. A worn out bicycle does not indicate it is warrantable, rather that the bicycle has outlived (exceeded) its useful product cycle.

Raleigh America, Inc., warrants this new Raleigh America, Inc., bicycle frame against defects in material and workmanship, subject to the following limitations, terms, and conditions:

Item	Warranty Term Length
Steel bicycle frames with wheel size less than 20"	Lifetime, for as long as the original retail purchaser owns the bicycle*
Steel bicycle frames with 20", 24", 26", or 700c wheels	Lifetime, for as long as the original retail purchaser owns the bicycle*
Alloy bicycle frames with 20", 24", 26", or 700c wheels	Lifetime, for as long as the original retail purchaser owns the bicycle*
Full Carbon Fiber or Carbon fiber/alloy bicycle frames with 20", 24", 26", or 700c wheels	Lifetime, for as long as the original retail purchaser owns the bicycle*
Full Suspension bicycle frames	Five years from the date of original retail purchase to the original purchaser*
Forks, Non-branded	Five years from the date of original retail purchase
Forks, Branded	Covered under the fork manufacturer's warranty. Consult dealer for details.
Components, Non-branded	One year from the date of original retail purchase
Components, Branded	Covered under the component manufacturer's warranty. Consult dealer for details.
Finish and decals	One year from the date of original retail purchase
Suspension parts including but not limited to bushings, pivot bearings, link plates, bolts, fasteners, chain stays, seat stays, and shock units $\frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{2} \left(\frac{1}{2} \right) \left(1$	One year from the date of original retail purchase under the condition that the bicycle is regularly maintained as well as operated under normal riding conditions
Labor, frame replacement	One year from the date of original retail purchase
Labor, parts replacement	Thirty days from the date of original retail purchase

- This warranty only applies to the original retail purchaser and is not transferable. Specific model exceptions to this warranty are noted with the bicycle documentation. Raleigh America, Inc.'s sole obligation during the acceptable duration of this warranty is, AT RALEIGH AMERICA, INC.'S OPTION, to repair or replace the product with a current item
- that is equivalent in construction, design, or value,
- Raleigh America, Inc.'s liability under this limited warranty shall never exceed the amount of the original purchase.

- Return your fully assembled Raleigh America, Inc., bicycle to an authorized Raleigh America, Inc., bicycle dealer within the United States of America. A bicycle that has had the components removed cannot be evaluated or warranted.
- A Dicycle that has had the components removed cannot be evaluated or warner. Provide proof of purchase, including but not limited to the retail bill of a warner credit or debit card receipt, or other satisfactory proof of the date of purchase. The proof of purchase must indicate bicycle was sold fully assembled and adjusted by an authorized Raleigh America, inc., dealer within the United States of America. Sales where the bicycle was delivered in a card to the end user (e.g., mail order or internet sales) void the warranty.

This warranty does not apply to damage or failure due to:

- Accidents, alteration, abuse, neglect,
- Accidents, attention, autise, fregiect.

 Materials fatigue, normal wear and tear.

 Improper assembly, maintenance, or installation of parts or accessories not originally intended to be compatible with the bicycle as sold, including but not limited to power assist accessories, forks, brakes, or tires different from original specification.

This warranty also excludes:

- Commercial use, racing or competition, stunting, jumping, trick riding, ramp riding, aggressive riding, riding with excessive loads, lack of technical skill, competence, or experience of the user.
 Blcycle frames, which have been repaired (e.g. welled or bonded), repainted, or had the original declar senoved.
 Frames, forks, wheels, skies, handlebars, and stems, which are bent from just riding along, can be a sign of misuse or abuse and are not covered under this warranty.
 Personal transportation costs or product freight costs to or from an authorized Raleigh America, inc., bicycle dealer.
 Any additional costs associated with the incompatibility of existing parts and the replacement frame or fork.

Warranty replacement frames must be fully assembled by an authorized dealer to maintain the warranty coverage.
The arranty for the replacement frame shall be the warranty offered for the equivalent bicycle's frame of that model year. If not assembled by the dealer, replacement frames are considered aftermarket frames. Aftermarket frames are only warranted for one year from the date of purchase for the original purchases. This inon-year warranty excludes any issues that can be traced to assembly or component incompatibility.

This warranty is expressly in lieu of all other warranties, and any implied warranties of merchantability or fitness for a particular purpose created hereby, are limited to the same duration as the express warranty herein. Raleigh America, inc. shall not be liable for any incidental or consequential damages. Some states do not allow the exclusion or limitations of implied warranties, incidental or consequential, so the above limitations and exclusions may not apply to you. Retailers and wholesale outlets for Raleigh America, Inc., products are not authorized to modify this warranty in any way. This warranty gives the original owners specific legal rights. Other additional rights may ary from state to state.

All Raleigh bicycles meet or exceed CPSC standards. Complete equipment is included with each Raleigh bicycle but not necessarily shown in photographs, e.g. reflectors. All Raleigh bicycles are covered under warranty. See your authorized Raleigh dealer for complete details. Raleigh specifications are subject to change without prior notice. Raleigh is a registered trademark of the Raleigh Cycle Limited.

WARNING: All riders depicted in this catalog are professionals. Do not attempt to duplicate any actions that are beyond your abilities. ALWAYS WEAR A HELMET!